# AUTHOR INDEX, VOLUME 3


Abramo, S. V.: see Sroog, C. E.
Allegra, G.: see Natta, G.
Allen, V. R.: see Altares, T., Jr.
Allison, J. P., and Marvel, C. S.: Experiments with a synthetic polyampholyte, 137
Altares, T., Jr., Wyman, D. P., Allen, V. R., and Meyersen, K.: Preparation and characterization of some star- and comb-type branched polystyrenes, 4131
Andersen, H. M., and Proctor, S. I., Jr.: Redox kinetics of the peroxydisulfate–iron–sulfoxylate system, 2343
Angelescu, E. M.: see Nicolescu, I. V.
Anyos, T.: see Moyer, W. W., Jr.
Applewhite, T. H.: see Marvel, C. S.
Araki, K.: see Stannett, V.
Araldi, M.: see Marconi, W.
——: see Mazzei, A.
Arimoto, H., Ishibashi, M., Hirai, M., and Chatani, Y.: Crystal structure of the $\gamma$-form of nylon 6, 317
Ariyoshi, J.: see Tsutsui, M.
Arnold, F. E.: see Stille, J. K.
Arnold, L. K.: see Chatterji, A. K.
Baccaredda, M.: see Morelli, F.
Bachhuber, J. J.: see Kurath, S. F.
Bacskai, R.: Copolymerization of $\alpha$-olefins with $\omega$-halo-$\alpha$-olefins by use of Ziegler catalysts, 2491
Baer, E., and Kardos, J. L.: Melting of homopolymers under pressure, 2827
Balas, J. G., De La Mare, H. E., and Schissler, D. O.: Alkyl-free cobalt catalyst for the stereospecific polymerization of butadiene, 2243
Baldwin, M. G.: Kinetics of alternating copolymerization, 703
Baldwin, W. H., Holcomb, D. L., and Johnson, J. S.: Preparation and hyperfiltration properties of a polyacrylate–cellophane membrane, 833
Ballantine, D. S.: see Rao, H.
Ballard, L. E.: see Kinsinger, J. B.
Banderet, A.: see Vuillemenot, J.
Barbier, B.: see Vuillemenot, J.
Barker, R. E., Jr., Daane, J. H., and Rentzepis, P. M.: Thermochemiluminescence of polycarbonate and polypropylene, 2033
Barton, J. M., Butler, G. B., and Chapin, E. C.: Studies in cyclocopolymerization. Relative rates of addition in the free radical-initiated copolymerization of 1,4-dienes and substituted olefins, 501
Bassi, I. W.: see Natta, G.
Bates, R. B.: see Modena, M.
Beachell, H. C., and Beck, D. L.: Thermal oxidation of deuterated polypropylenes, 457
Beattie, W. H.: Turbidimetric titration method for determining solubility distributions of polymers, 527
Beck, D. L.: see Beachell, H. C.
Belkin, I. M.: see Vinogradov, G. V.
Bell, A., Smith, J. G., and Kibler, C. J.: Polyamides of 1,4-cyclohexanebis-(methylamine), 19
Berger, H. L., and Schultz, A. R.: Gel permeation chromatograms: Approximate relation of line shape to polymer polydispersity, 3643
——, and ——: Polydisperse polymers with trifunctional branching. II. Weight-averaging of chosen molecular size-dependent functions and a restatement of the approximate distribution function, 4227
Bergman, E., Tsatsos, W. T., and Fischer, R. F.: Reactions of high molecular weight polyacrolein, 3485
Berlin, A. M.: see Korshak, V. V.
Bernstein, B. S., Odian, G., Orban, G., and Tirelli, S.: Radiation crosslinking of nylon 66 and poly(vinyl alcohol), 3405
Berr, C. E.: see Sroog, C. E.
Berry, J. P.: Fracture processes in polymeric materials. VII. The nature of local inelastic processes in glassy polymers, 2027
Berry, J. W.: see Horvath, E. G.
Beynon, K. I., and Hayward, E. J.: Copolymerization of allylureas with lauryl methacrylate, 1793
Bhadani, S. N.: see Funt, B. L.
Bhattacharyya, D. N., Smid, J., and Szwarc, M.: Anionic polymerization of vinylmesitylene, 3099
Bilgor, W.: see Marchessault, R. H.
Binder, J. L.: Infrared spectra of polybutadienes, 1587
——: Infrared spectra of polybutadienes (*erratum*), 3360
Blachford, J., and Robertson, R. F.: Branching in poly(butadiene-*co*-styrene). I. Branching determined by viscometry and ultracentrifugation, 1289
——, and ——: Branching in poly(butadiene-*co*-styrene). II. Radiation-induced branching examined by viscometry, 1303
——, and ——: Branching in poly(butadiene-*co*-styrene). III. Radiation-induced branching examined by solubility and swelling, 1313
——, and ——: Branching in poly(butadiene-*co*-styrene). IV. Retardation of radiation-induced branching, 1325
Bluemle, A.: see Szymanski, H. A.

Blumstein, A.: Polymerization of adsorbed monolayers. I. Preparation of the clay–polymer complex, 2653
——: Polymerization of adsorbed monolayers. II. Thermal degradation of the inserted polymer, 2665
Böckman, O. C.: Preparation and properties of crystalline low molecular weight poly(vinyl chloride), 3399
Bohdaneckỳ, M., Kratochvíl, P., and Šolc, K.: Note on the calculation of molecular weight averages of polymers from fractionation data, 4153
Bombaugh, K. J., and Clampitt, B. H.: Investigation of comonomer distribution in ethylene copolymers with thermal methods, 803
Boor, J., Jr.: Ziegler polymerization of olefins. V. Site removal and site activation by electron donors, 995
Borchert, A. E.: see Ramey, K. C.
Bork, J. F.: see Coleman, L. E.
Boyack, J. R.: see Hodgdon, R. B., Jr.
Brady, W. T., and O Neal, H. R.: Synthesis and structure of polyglyoxal, 2337
Brandrup, J.: see Goodman, M.
Breslow, D. S.: see Matlack, A. S.
Brey, W. S., Jr.: see Butler, G. B.
Bristow, G. M., Moore, C. G., and Russell, R. M.: Determination of degree of crosslinking in natural rubber vulcanizates. Part VII. Crosslinking efficiencies of di-*tert*-butyl and dicumyl peroxides in the vulcanization of natural rubber and their dependence on the type of natural rubber, 3893
Brockway, C. E.: Copolymerization of methyl methacrylate with unsaturated esters of granular starch, 1031
——: see Vander Burgh, L. F.
Brodbeck, R. M.: see Salyer, I. O.
Brodnyan, J. G., Cohn-Ginsberg, E., and Konen, T.: The mechanism of emulsion polymerization. II. Branching in polymers prepared by emulsion polymerization techniques, 2392
Brown, D. W., Fearn, J. E., and Lowry, R. E.: Radiation-induced polymerization and other reactions of *n*-perfluoropentadiene-1,4 at high temperature and pressure, 1641
Brown, L. E.: see Salyer, I. O.
Bueche, F.: see Halpin, J. C.
Bump, D. D.: see Kurath, S. F.
Burke, W. J.: see Hirst, R. C.
Burkhart, R. D.: Diffusion-controlled termination in free radical polymerizations, 883
Burlant, W., and Hinsch, J.: Divinyl copolymerization initiated by high intensity, low energy electrons, 3587
Bushick, R. D.: Ethylene–propylene copolymers. I. Monomer reactivity ratios, 2047
Butler, G. B., and Raymond, M. A.: Probability of cyclopolymerization, 3413
——, and Kasat, R. B.: Studies in cyclopolymerization. II. Relative rates of addition in the cyclopolymerization of acrylonitrile with certain 1,4-dienes, 4205
——, Miles, M. L., and Brey, W. S., Jr.: Polymerization of 1-methylene-4-vinylcyclohexane by a cyclic polymerization mechanism, 723
—— and ——: Polymerization of 4-vinylcyclohexene by the cyclic polymerization mechanism, 1609
——: see Barton, J. M.
Butta, E.: see Morelli, F.
Caldarella, G. J.: see Degering, Ed. F.
Calderon, N., and Scott, K. W.: Determination of the molecular weight distribution of polyisoprenes from the sol dependence on crosslinking, 551
Caporicco, G.: see Natta, G.
Carazzolo, G., and Valle, G.: Crystal structure of hexagonal polyselenomethylene, 4013
Carmichael, J. B.: Unperturbed dimensions of chains with any degree of polymerization application to polydimethylsiloxane, 4279
—— and Winger, R.: Cyclic distribution in dimethylsiloxanes, 971
—— and ——: Distribution in dimethylsiloxanes (*erratum*), 3360
Casassa, E. F.: Some statistical properties of flexible ring polymers, 605
Cash, G. O., Jr.: see McConnell, R. L.
Cassidy, P. E., Marvel, C. S., and Ray, S.: Preparation and aromatization of poly-1,3-cyclohexadiene and subsequent crosslinking. III, 1553
Cesari, M.: see Marconi, W.
Chanzy, H.: see Marchesault, R. H.
Chapin, E. C.: see Barton, J. M.
Chapman, T. M.: see Overberger, C. G.
Chatani, Y.: see Arimoto, H.
Chatterjee, P. K.: Application of thermogravimetric techniques to reaction kinetics, 4253
Chatterji, A. K., and Arnold, L. K.: Crosslinking of dialdehyde starches with wheat proteins, 3857
Chen, C. S. H.: Dye-sensitized photopolymerization. IV. Enhanced rates of polymerization of acrylamide in ethylene glycol, sensitized by thiazine dyes with triethanolamine, 1155
——: Dye-sensitized photopolymerization. II. Enhanced sensitization by combination of a cationic and an anionic dye, 1127
——: Dye-sensitized photopolymerization. I. Polymerization of acrylamide in aqueous solution sensitized by methylene blue–triethanolamine system, 1107
——: Dye-sensitized photopolymerization. V. Polymerization of acrylamide in deaerated systems, 1807
——: Dye-sensitized photopolymerization. III. Structural effects of thiazine dyes, 1137
Chiang, R.: Dissolution and crystallization temperatures of high polymers. II.

New method of characterization of polyacrylonitrile, 2019
——: Intrinsic viscosity–molecular weight relationship for polyethylene (*erratum*), 3679
——, Rhodes, J. H., and Holland, V. F.: Crystallization and dissolution temperatures of polyacrylonitrile, 479
Chinai, S. N., and Schneider, W. C.: Shear dependence of viscosity–molecular weight transitions. A study of entanglement effects, 1359
Chipalkatti, V. B.: see Singh, H.
Churbakova, N. V.: see Rafikov, S. R.
Chock, D.: see Miller, G. H.
Chock, E. P.: see Miller, G. H.
Ciampelli, F.: see Natta, G.
Clampitt, B. H.: Differential thermal analysis of the cocrystal peak in linear-high pressure polyethylene blends, 671
——: see Bombaugh, K. J.
Clark, J. E., and Jellinek, H. H. G.: Thermal degradation of poly(methyl methacrylate) in a closed system, 1171
——: see O'Driscoll, K. F.
Cohen, M. S.: see Green, J.
Cohn-Ginsberg, E.: see Brodnyan, J. G.
Coiro, V. M., De Santis, P., Mazzarella, L., and Picozzi, L.: Crystal and molecular structure of optically active poly-D(−)-β-methyl-ε-caproamide, 4001
Cole, C.: see Moyer, W. W., Jr.
Cole, T. B.: see Sheehan, W. C.
Coleman, L. E., Bork, J. F., Wyman, D. P., and Hoke, D. I.: Synthesis and polymerization of *N*[2-(2-methyl-4-oxopentyl)]-acrylamide—A new reactive vinyl monomer, 1601
Comp, J. L.: see Griffith, J. H.
——: see Marvel, C. S.
Cook, J. L.: see Raff, R.
Coover, H. W., Jr.: see McConnell, R. L.
——, and Joyner, F. B.: Stereospecific polymerization of α-olefins with three-component catalyst systems, 2407
Cordischi, D., Lenzi, M., and Mele, A.: Radiation-induced polymerization of 1,2-cyclohexene oxide, 3421
Cornell, R. J., and Donaruma, L. G.: Poly-2-methacryloxytropone. A synthetic biologically active polymer, 827
Corradini, P.: see Natta, G.
Cowan, J. C.: see Marvel, C. S.
Cragg, L. H.: see Pasika, W. M.
Crawford, T. H.: see Wiley, R. H.
Crescentini, L.: see Grechele, G. B.
Crissman, J. M., Woodward, A. E., and Sauer, J. A.: Dynamic mechanical behavior of polystyrene and related polymers at temperatures from 4.2°K., 2693
Cucinella, S.: see Marconi, W.
Culbertson, H. M.: see Woodbrey, J. C.
Cunneen, J. I., Higgins, G. M. C., and Wilkes, R. A.: *cis–trans* Isomerization in polyisoprenes. Part VII. Double bond movement during the isomerization of natural rubber and related olefins, 3503
Cunningham, R. E.: Catalyst and solvent effects in the terpolymerization of ethylene, propylene, and dicyclopentadiene, 3157
Daane, J. H.: see Barker, R. E., Jr.
D'Alelio, G. F., and Miranda, T. J.: Growth of polyethylene from ethylene vapor on solid surfaces, 3675
Daniel, J.-C.: see Guyot, A.
Dannin, J.: see Sandler, S. R.
Darskus, R. L., Jordan, D. O., Kurucsev, T., and Martin, M. L.: Concentration dependence of the reduced viscosity of dilute aqueous polyelectrolyte solutions, 1941
Davis, W. R.: see Eberhardt, G. G.
Dawans, F., and Marvel, C. S.: Polymers from *ortho* aromatic tetraamines and aromatic dianhydrides, 3549
Dawson, T. L., and Lundberg, R. D.: Free radical chain transfer to allyl monomers at low polymerization temperatures, 1801
De Benedictis, T.: see Hansen R. H.
Defonso, L.: see Krause, S.
Degering, Ed. F., Caldarella, G. J., and Haines, G. H. Jr.: High energp electron irradiation of trihydroperfluoroalkyl acrylate monomers, statistical evaluation of factor interdependency, 3635
De La Mare, H. E.: see Balas, J. G.
De Malde, M.: see Marconi, W.
——: see Mazzei, A.:
De Santis, P.: see Coiro, V. M.
Deutschman, A. J., Jr.: see Horvath, E. G.
Devenuto, G.: see Wiley, R. H.
Diaconescu, A. I., and Medvedev, S. S.: Certain characteristics of the polymerization of butadiene-1,3 in presence oi soluble cobalt complex catalyst, 31
Donaruma, L. G.: see Cornell, R. J.
Drahorádová, E.: see Matyska, B.
Dunnavant, W. R., and Markle, R. A.: Xylylidene–chloroxylene copolymers, 3649
Durrell, W. S., Stump, E. C., Jr., Westmoreland, G., and Padgett, C. D.: Polymers of fluorocarbon ethers and sulfides. I. Trifluoromethyl trifluorovinyl ether and sulfide, 4065
——, Westmoreland, G., and Moshonas, M. G.: Poly(vinylene fluoride), synthesis and properties, 2975
Durrieu, M.: see Guyot, A.
Eberhardt, G. G., and Davis, W. R.: Polymerization and telomerization reaction of olefins with a tertiary amine-coordinated lithiumalkyl catalyst, 3753
Edwards, W. M.: see Sroog, C. E.
Ehrlich, P.: Phase equilibria of polymer–solvent systems at high pressures near their critical loci. II. Polyethylene–ethylene, 131
Ellis, K. C.: see Warwicker, J. O.
Eloranta, P. J.: see Haas, H. C.
Elyash, L. J.: see Wyman, D. P.
Endrey, A. L.: see Sroog, C. E.
Ettling, B. V.: see Raff, R.

Fabula, A. G.: On the relevance of intrinsic viscosity to the concentration dependence of the Toms effect, 3662
Fearn, J. E.: see Brown, D. W.
Feist, W. C.: see Kirshenbaum, I.
Ferry, J. D.: see Meyer, H. H.
Field, N. D.: see Ramey, K. C.
Fischer, R. F., and Stewart, A. T., Jr.: Thermoplastic properties of polyacrolein and its acetals, 3495
——: see Bergman, E.
Florin, R. E.: see Yoshida, T.
Forbes, J. W.: see Hunter, L.
Foster, R. T., and Marvel, C. S.: Polybenzimidazoles. IV. Polybenzimidazoles containing aryl ether linkages, 417
Fox, R. B., and Price, T. R.: Photodegradation of poly($\alpha$-methylstyrene) in solution, 2303
Frazer, A. H.: Terpolymerization of olefins and *cis,cis*-1,5-cyclooctadiene with sulfur dioxide and carbon monoxide, 3699
Frazer, W. J.: see Wyman, D. P.
Freeman, D. H., Patel, V. C., and Smith, M. E.: Studies of variations in the properties of ion-exchange resin particles, 2893
Friedman, H. A.: see Overberger, C. G.
Fueno, T., Shelden, R. A., and Furukawa, J.: Probabilistic considerations of the tacticity of optically active polymers, 1279
Fujimoto, T., Ozaki, N., and Nagasawa, M.: Study of the effects of additives in homogeneous anionic polymerization of $\alpha$-methylstyrene by *n*-butyllithium (to prepare polymers having narrow molecular weight distribution), 2259
Fujishige, S.: Effects of rate of shear on the viscosity of polymer solutions, 3219
Fukui, K.: see Kagiya, T.
Funt, B. L., and Bhadani, S. N.: Electrically controlled anionic polymerization of methyl methacrylate, 4191
Furuichi, J.: see Hikichi, K.
Furukawa, J.: see Fueno, T.
Furusaki, S.: see Schneider, N. S.
Gallegos, E. J.: Temperature effects on birefringence intensity of poly-3-methyl-1-pentene, 3982
Ganis, P.: see Natta, G.
Gardlund, S.: see Horvath, E. G.
Gechele, G. B., and Crescentini, L.: Phase separation, viscosity, and thermodynamic parameters for poly-2-methyl-5-vinylpyridine–diluent systems, 3599
Gent, A. N.: Crystallization in stretched polymer networks. I. *trans*-Polychloroprene, 3787
——, and McGrath, J. E.: Effect of temperature on ozone cracking of rubbers, 1473
Gervasi, J. A.: see Stannett, V.
Gesner, B. D.: Phase separation of some acrylonitrile–butadiene–styrene resins, 3825
Ghosh, P., Sengupta, P. K., and Pramanik, A.: A dye partition method for the determination of hydroxyl endgroups in polymers, 1725
Gipstein, E., Marker, L., Wellisch, E., and Sweeting, O. J.: Effect of film thickness on the dynamic elastic modulus of cellophane, 2313
——: see Hansen, O. C., Jr.
Gladishev, G. P.: see Rafikov, S. R.
Glick, E. E., and Phillips, R. C.: Proton magnetic resonance spectra of variously treated nylon 66, 1885
Glusker, D. L.: see Krause, S.
Goldblatt, L. A.: see Marvel, C. S.
Goodman, M., and Brandrup, J.: Investigation of polyacetaldehyde structure by high resolution nuclear magnetic resonance, 327
Goolsby, P. F.: see Perrine, T. D.
Gormley, J. J.: see Krause, S.
Gotoda, M.: see Machi, S.
Graham, R. K.: see Powell, J. A.
Grant, D. M.: see Hirst, R. C.
Green, J., Mayes, N., and Cohen, M. S.: Carborane polymers. III. Vinyl carboranes, 3275
Griffith, J. H.: see Marvel, C. S.
——, Comp, J. L., and Marvel, C. S.: Polymerization of vinyl esters of cyclic acids, 3659
Gruver, J. T.: see Kraus, G.
Gupta, R. P., and Laible, R. C.: Study of hydrogen bonding in poly(vinyl alcohol) by a nuclear magnetic resonance method, 3951
——, Marker, L., Wellisch, E., and Sweeting, O. J.: Rate of densification of gel during coagulation of viscose, 711
Guyot, A., Daniel, J.-C., Durrieu, M., and Ptack, M.: Etude de la polymerisation des olefines catalysee par les oxydes metalliques. II. Influence des impuretes sur la cinetique de polymerisation du propylene par le systeme catalytique phillips, 1765
Haas, H. C., and Eloranta, P. J.: Steady flow viscosity of aqueous hydroxyethyl cellulose solutions, 411
Hagiwara, M.: see Machi, S.
Haines, G. H., Jr.: see Degering, Ed. F.
Hajimoto, Y., Tamura, N., and Okamoto, S.: Electron spin resonance spectra of poly(methyl methacrylate) irradiated at 77°K., 255
Hale, W. F.: see Stenstrom, J. A.
Halpern, B. D.: see Tsou, K. C.
Halpin, J. C., and Bueche, F.: Fracture properties of carboxylic rubbers, 3935
Haly, A. R.: Energetic and entropic components of tension in elastomeric wool fibers, 3331
Hamb, F. L.: see Winston, A.
Hansen, D.: see Rusnock, J. A.
——, and Ho, C. C.: Thermal conductivity of high polymers, 659
Hansen, O. C., Jr., Gepstein, E., Marker, L., and Sweeting, O. J.: Instrument constant for dynamic tensile modulus apparatus, 409

Hansen, R. H., Pascale, J. V., De Benedictis, T., and Rentzepis, P. M.: Effect of atomic oxygen on polymers, 2205
Hara, S.: see Iwakura, Y.
Hartzel, L. W.: see Salyer, I. O.
Hasegawa, M.: see Unishi, T.
Hay, J. N.: Crystallization kinetics of high polymers: Isotactic polystyrene, 433
Hayashi, K.: see Miyake, H.
Hayward, E. J.: see Beynon, K. I.
Heeschen, J. P.: see Lee L.-H.
Heller, W.: A generalization of the Debye light-scattering equation, 2367
——: Range of practical validity of the Debye and the Rayleigh equations for determining molecular weights from light scattering and methods allowing a limited extension of this range, 3313
Henry, A. C.: see Rabinowitz, R.
Hergenrother, P. M., Wrasidlo, W., and Levine, H. H.: Polybenzothiazoles. I. Synthesis and preliminary stability evaluation, 1665
Herman, J., Jr.: Investigation of the elastic properties of the particle network in gelled solutions of hydrocolloids. I. Carboxymethyl cellulose, 1859
Hermans, J. J.: see Marchessault, R. H.
Hermans, J. P., and Smets, G.: Silver perchlorate-initiated polymerization of vinyl monomers, 3175
Heyd, J. W.: see Salyer, I. O.
Heyn, A. N. J.: Crystalline state of cellulose in fresh and dried mature cotton fiber from unopened boils as studied by x-ray diffraction, 1251
Hider, S.: see Marchessault, R. H.
Higashimura, T.: see Imanishi, Y.
——: see Mizote, A.
——: see O'Driscoll, K. F.
——: see Ohsumi, Y.
Higginbottom, H. P.: see Woodbrey, J. C.
Higgins, G. M. C.: see Cuneen, J. I.
Hikichi, K., and Furuichi, J.: Molecular motions of polymers having helical conformation. I. Poly(ethylene glycol) and polyoxymethylene, 3003
Hillier, I. H.: Modified Avrami equation for the bulk crystallization kinetics of spherulitic polymers, 3067
Hinsch, J.: see Burlant, W.
Hirai, M.: see Arimoto, H.
Hirst, R. C., Grant, D. M., Hoff, R. E., and Burke, W. J.: Structural study of phenol–formaldehyde polymers with proton magnetic resonance, 2091
Ho, C. C.: see Hansen, D.
Hodgdon, R. B., Jr., and Boyack, J. R.: Study of swelling in two new ion exchange membranes, 1463
Hoff, R. E.: see Hirst, R. C.
Hoke, D. I.: see Coleman, L. E.
Holahan, F. S., Stivala, S. S., and Levi, D. W.: Dilute solution properties of poly(*para*-isopropylstyrene), 3987
——, ——, and ——: Graft copolymers of *para*-isopropylstyrene and ethyl methacrylate, 3993
Holcomb, D. L.: see Baldwin, W. H.
Holland, V. F.: see Chiang, R.
Holsten, J. R., and Lilyquist, M. R.: Aromatic poly(phenylene)4-phenyl-1,2,4-triazoles, 3905
Horvath, E. G., Gardlund, S., Sen, S. K., Berry, J. W., and Deutschman, J., Jr.: Sugar polythioacetals, 1985
Hoshino, S., Meinecke, E., Powers, J., Stein, R. S., and Newman, S.: Crystallization kinetics of polypropylene fractions, 3041
Hoyt, H. E.: see Tsou, K. C.
Hsieh, H. L.: Kinetics of polymerization of butadiene, isoprene, and styrene with alkyllithiums. Part II. Rate of initiation, 163
——: Kinetics of polymerization of butadiene, isoprene, and styrene with alkyllithiums. Part I. Rate of polymerization, 153
——: Kinetics of polymerization of butadiene, isoprene, and styrene with alkyllithiums. Part III. Rate of propagation, 173
——: Microstructures of polydienes prepared from alkyllithium, 181
——: Molecular weight and molecular weight distribution of polymers prepared from butyllithiums, 191
Hudgin, D. E.: see Rosen, I.
Hughes, L. J., and Perry, E.: Poly-α-cyanostyrene, 1527
Hunter, L., and Forbes, J. W.: Structural investigation of polyacrolein by fractional dehydration, 3471
Hutchison, J. D.: Crystalline growth of polyvinylcyclohexane, 2710
Hwa, J. C. H., and Miller, L.: Chemical scission of poly(methyl acrylate), 2609
Ibrahim, F. W.: Correct determination of Staudinger's index (intrinsic viscosity) and of Huggins' constant, 469
Ihrig, J. L., and Sood, S. P.: Reactivity of condensed-ring hydrocarbons as polymerization retarders, 1573
Imai, Y.: see Iwakura, Y.
Imanishi, Y., Higashimura, T., and Okamura, S.: Cationic copolymerization of isobutene. III. Solvent effect in cationic copolymerization of isobutene with styrene in mixed solvents, 2455
Imoto, M.: see Nakata, T.
——: see Otsu, T.
Indictor, N., and Linder, C.: Styrene polymerizations with *tert*-butyl hydroperoxide and metal acetylacetonates, 3668
Ingham, J. D., and Lawson, D. D.: Refractive index–molecular weight relationships for poly(ethylene oxide), 2707
Isaacson, R. B.: see Kirshenbaum, I.
Ishibashi, M.: see Arimoto, H.
Ishikawa, S.: Some anomalous viscosities of poly-γ-methyl-L-glutamate (PMLG) solutions and relations between the aging of the solutions and the structure of spherulites from them, 4075

Ito, K., and Yamashita, Y.: Copolymer composition and microstructure, 2165
Iwakura, Y., Kurosaki, T., and Imai, Y.: Graft copolymerization onto cellulose by the ceric ion method, 1185
——, Uno, K., and Hara, S.: Poly-1,3,4-oxadiazoles. I. Polyphenylene-1,3,4-oxadiazoles, 45
Izumi, Z., Kiuchi, H., and Watanabe, M.: Effect of reaction medium on copolymerization of acrylonitrile and sodium allyl sulfonate, 2965
——, ——, ——, and Uchiyama, H.: Copolymerization of acrylonitrile and sodium *p*-styrenesulfonate in dimethyl sulfoxide solution, 2721
Jacobson, H. W.: see Middleton, W. J.
Jaffe, J., and Ruysschaert, J.-M.: Contribution à l'étude de l'ionisation des polyelectrolytes à l'interface air–eau, 4047
James, D. G. L., and Troughton, G. E.: Radical displacement in allyl ester polymerization. I. Allyl acetate; evidence from gas-phase kinetics, 75
Jankovics, L.: Kinetics of polyacrylamide adsorption on calcium phosphate, 3519
Jarovitzky, P. A.: see Overberger, C. G.
Jellinek, H. H. G.: see Clark, J. E.
——: see Kachi, H.
Johnson, A. F., and Worsfold, D. J.: Anionic polymerization of butadiene and styrene, 449
Johnson, E. F.: see Magin, R. W.
Johnson, J. S.: see Baldwin, W. H.
Jopling, D. W.: Stress relaxation studies of chemically crosslinked gelatin films, 513
Jordan, D. O.: see Darskus, R. L.
Joyner, F. B.: Coover, H. W., Jr.
——: see McConnell, R. L.
Kachi, H., and Jellinek, H. H. G.: An improved technique for the study of high polymer degradation reactions, 2714
Kagiya, T.: see Machi, S.
——, Kishimoto, H., Narisawa, S., and Fukui, K.: Polymerization of *N*-methyl-*β*-propiolactam with ionic catalysts, 145
Kakiuchi, H.: see Tanaka, Y.
Kamachi, M., and Miyama, H.: Kinetics of styrene polymerization catalyzed by rhenium pentachloride, 1337
Kambour, R. P.: Mechanism of fracture in glassy polymers. I. Fracture surfaces in poly(methyl methacrylate), 1713
Kandanian, A. Y.: see O'Neil, J. J.
Kaneishi, Y.: see Murano, M.
Kaneko, M.: see Kuwahara, N.
Kardos, J. L.: see Baer, E.
Kasai, A.: see Kuwahara, N.
Kasat, R. B.: see Butler, G. B.
Kase, S., and Matsuo, T.: Studies on melt spinning. I. Fundamental equations on the dynamics of melt spinning, 2541
Kataoka, T., and Ueda, S.: Flow behavior of polydimethylsiloxane, 2947
Kawai, H.: see Oda, T.
Kawai, W.: Synthesis and polymerization of stereoisomeric 2-methyl cyclohexyl methacrylates, 3978
Keaveney, W. P.: see Michelotti, F. W.
Khamis, J. T.: see Ravve, A.
Khasanova, N. F.: see Rafikov, S. R.
Kibler, C. J.: see Bell, A.
Kinsinger, J. B., and Ballard, L. E.: Dilute solution properties of polyoctene-1. Analysis by the Kurata-Stockmayer method, 3963
Kirshenbaum, I.: Entropy and heat of fusion of polymers, 1869
——, Isaacson, R. B., and Feist, W. C.: Properties of semicrystalline polyolefins. III. Plasticization and crystallization phenomena in sterically hindered polyolefins, 793
Kishimoto, H.: see Kagiya, T.
Kita, S.-I.: see Shirayama, K.
Kiuchi, H.: see Izumi, Z.
Knight, A. C.: Stress crazing of transparent plastics. Computed stresses at a nonvoid craze mark, 1845
Kolthoff, I. M.: see Meehan, E. J.
Konen, T.: see Brodnyan, J. G.
Konishi, A., Yoda, N., and Marvel, C. S.: Base-catalyzed polymerization of *p*-styrenesulfonamides. II. *N*-Methyl and *N*-phenyl derivatives, 3833
Korshak, V. V., Krongauz, E. S., and Berlin, A. M.: Synthesis of polyhydrazones and polypyrazoles by a polycyclization reaction, 2425
Kossler, I.: see Polacek, J.
——, Vodehnal, J., and Stolka, M.: Cyclo- and cyclized diene polymers. IV. Infrared spectra of cyclopolyisoprenes and cyclized polyisoprenes, 2081
Kovacic, J. P.: see Kovacic, P.
Kovacic, P., Marchionna, V. J., and Koracic, J. P.: Properties of *p*-polyphenyl. Pellet formation, radiation resistance and electrical behavior, 4297
Kratochvíl, P.: see Bohdanecký, M.
Kraus, G., and Gruver, J. T.: Rheological properties of multichain polybutadienes, 105
Krause, S., Defonso, L., and Glusker, D. L.: Mechanism of the anionic polymerization of methyl methacrylate. IV. Calculated molecular weight distributions resulting from a reversible termination by a bimolecular exchange reaction, 1617
——, Gormley, J. J., Roman, N., Shetter, J. A., and Watanabe, W. H.: Glass temperatures of some acrylic polymers, 3573
——, and Roman, N.: Glass temperatures of mixtures of compatible polymers, 1631
Krigbaum, W. R., and Uematsu, I.: Heat and entropy of fusion of isotactic polypropylene, 767
——, and ——: Variation of crystallinity with temperature for homopolymers and random copolymers, 2915
Krivánek, M.: see Matyska, B.

Krongauz, E. S.: see Korshak, V. V.
Kubota, T.: see Matsui, Y.
Kumamoto, J.: Preparation of titanium dichloride dipropionate and polypropylene with high amorphous content, 3355
Kun, K. A.: Macroreticular redox polymers. I. Hydroquinone–quinone redox polymers, 1833
Kurath, S. F., and Bump, D. D.: Hydrodynamic friction coefficients for cellodextrins in water, 1515
——, Schmitt, C. A., and Bachhuber, J. J.: Hydrodynamic behavior of fully acetylated guaran. Test of the Eizner-Ptitsyn theory for the semirigid macromolecule, 1825
Kurosaki, T.: see Iwakura, Y.
Kurucsev, T.: see Darskus, R. L.
Kurz, J. E.: Characterization of emulsion polyethylene, 1895
Kuwahara, N., Ogino, K., Kasai, A., Ueno, S., and Kaneko, M.: Unperturbed dimensions of polystyrene derivatives, 985
Kwei, T. K.: Polymer–filler interaction. Thermodynamic calculations and a proposed model, 3229
Laible, R. C.: see Gupta, R. P.
Lando, J. B., and Stannett, V.: Radiation polymerization of crystalline trithiane, 2369
Lawson, D. D.: see Ingham, J. D.
Lee, L.-H.: Mechanisms of thermal degradation of phenolic condensation polymers. II. Thermal stability and degradation schemes of epoxy resins, 859
——, Pankey, J. W., and Heeschen, J. P.: Epoxide–alcohol reaction catalyzed by boron trifluoride. Part I. Phenyl glycidyl ether–alcohol reaction in dioxane, 2955
LeGrand, D. G.: Rheo-optical properties of polymers. VII. On time-dependent infrared absorbance in polymer films, 301
Lehr, M. H., and Moyer, P. H.: Polymerization of butadiene by *n*-butyllithium tetrachloride (tetraiodide) catalysts, 231
Lehr, M. H.: see Moyer, P. H.
Lenz, R. W.: see Schneider, N. S.
Lenzi, M.: see Cordischi, D.
Levene, A., Pullen, W. J., and Roberts, J.: Sound velocity in polyethylene at ultrasonic frequencies, 697
Levi, D. W.: see Holahan, F. S.
Levine, H. H.: see Hergenrother, P. M.
Levy, A. A., and Wassermann, A.: Use of a deeply colored polymer as an indicator, 2703
Lilyquist, M. R.: see Holsten, J. R.
Linder, C.: see Indictor, N.
Lipscomb, N. T., and Weber, E. C.: Kinetics of the $\gamma$-radiation-induced low temperature polymerization of methyl methacrylate, 55
Loebl, E. M.: see O'Neil, J. J.
Longone, D. T., and Un, H. H.: Heteroaromatic polymers. The polybithiazoles, 3117
Lowry, G. G., and Meyer, V. E.: Integral and differential binary copolymerization equations, 2843
Lowry, R. E.: see Brown, D. W.
Lundberg, R. D.: see Dawson, T. L.
——: see Roberts, R.
Lunk, H. E., and Youngman, E. A.: Coupling of xylylene dihalides with divalent chromium. Aspects of copolymerization and mechanism, 2983
Luongo, J. P., and Salovey, R.: Absorption spectra of poly-*p*-iodostyrene, 2759
Lyda, T. B., and Rase, H. F.: Observations of polyethylene forming on large $TiCl_3$ crystals, 2400
Lyons, B. J.: Gel formation in polyolefins exposed to ionizing radiation, 777
Lyons, P. F.: see O'Driscoll, K. F.
McCain, G. H.: see Rosen, I.
McCall, M. A.: see McConnell, R. L.
McCarty, W. H. and Parravano, G.: Polymerization of vinyl cyclohexane with $TiCl_3$–$Al(C_2H_5)_3$ catalysts, 4029
McClanahan, J. L., and Previtera, S. A.: NMR study of vinyl chloride–vinylidene chloride copolymer, 3919
McConnell, R. L., McCall, M. A., Cash, G. O., Jr., Joyner, F. B., and Coover, H. W., Jr.: Interaction of ethylaluminum dichloride with organic nitrogen and phosphorus compounds in three-component polyolefin catalysts, 2135
McGrath, J. E.: see Gent, A. N.
McLaren, J. V.: see Mathieson, A. R.
McLeskey, S. W.: see Stannett, V.
Machi, S., Hagiwara, M., Gotoda, M., and Kagiya, T.: Existence of long-lived radicals in the $\gamma$-radiation induced polymerization of ethylene, 2931
——, ——, ——, and ——: Specific influence of temperature on $\gamma$-ray radiation induced polymerization of ethylene, 3029
Maerov, S. B.: Photoyellowing of poly(4,4′-diphenylolpropane isophthalate): A novel polymer photorearrangement, 487
Magill, J. H.: Spherulitic Crystallization. Part I. "Odd-Even" polyamides: Nylon 56 and nylon 96, 1195
——: Spherulitic crystallization. Part I. "Odd-Even" polyamides: Nylon 56 and nylon 96 (*erratum*), 4302
——, Pollack, S. S., and Wyman, D. P.: Glass temperature and crystal modification of linear polymethylene, 3781
Magin, R. W., Marvel, C. S., and Johnson, E. F.: Terpolymers of ethylene and propylene with *d*-Limonene and $\beta$-pinene, 3815
Majerus, J. N.: A unified approach to failure and its application to highly filled polymers, 3361
Mallavarapu, L. X., and Ravve, A.: Modification of polymers via the Wittig reaction, 593
——: see Ravve, A.

Malzahn, R. A.: see Marvel, C. S.
Mangin, P.-M. F.: see Meyer, H. H.
Manson, J. A.: see Wexler, H.
Marchessault, R. H., Chanzy, H., Hider, S., Bilgor, W., and Hermans, J. J.: Studies on alcohol-modified transition metal polymerization catalysts. I. Infrared studies, 3713
Marconi, W., Mazzei, A., Araldi, M., and De Malde, M.: Stereospecific polymerization of 1,3-butadiene. I. New catalysts based on $TiCl_4$, $AlI_3$, and some aluminum hydride derivatives, 735
——, ——, Cucinella, S., Cesari, M., and Pauluzzi, E.: Stereospecific polymerization of 2-substituted 1,3-butadienes. II. Stereospecific polymers of 2-*n*-propyl-1,3-butadiene, 123
——: see Mazzei, A.
Marcus, R.: see Rabinowitz, R.
Marker, L.: see Gipstein, E.
——: see Gupta, M. K.
——: see Hansen, O. C., Jr.
Markle, R. A.: see Dunnavant, W. R.
Martin, M. L.: see Darskus, R. L.
Marvel, C. S., Griffith, J. H., Comp, J. L., Appelwhite, T. H., and Goldblatt, L. A.: Preparation and polymerization of vinyl esters of chloro- and hydroxystearic and eicosanoic acids, 2991
——, ——, ——, Cowan, J. C., and O'Donnel, J. L.: Preparation and polymerization of vinyl esters of non-hydroxy carnuba wax acids and acrylic esters of carnuba wax alcohols, 2877
——, Malzahn, R. A., and Comp, J. L.: Homopolymerization of hydronopyl vinyl ether and 2-hydronopoxyethyl vinyl ether, 961
——: see Allison, J. P.
——: see Cassidy, P. E.
——: see Dawans, F.
——: see Foster, R. T.
——: see Griffith, J. H.
——: see Konishi, A.
——: see Magin, R. W.
——: see Mitsuhashi, K.
——: see Modena, M.
——: see Yoda, Y.
Masetti, G.: see Morelli, F.
Mathieson, A. R., and McLaren, J. V.: Potentiometric study of the conformational transition in poly(acrylic acid), 2555
Matlack, A. S., and Breslow, D. S.: Ziegler polymerization of olefins without added metal alkyls, 2853
Matyska, B., Drahoradova, E., and Krivánek, M.: Polymerization of isoprene on the surface of $\alpha$-titanium trichloride, 3671
Matsuda, K.: see Sedlak, J. A.
Matsui, Y., Kubota, T., Tadokoro, H., and Yoshihara, T.: Raman spectra of polyethers, 2275
Matsuo, T.: see Kase, S.
Mayes, N.: see Green, J.
Mazzanti, G.: see Natta, G.
Mazzarella, L.: see Coiro, V. M.
Mazzei, A.: see Marconi, W.
——, Araldi, M., Marconi, W., and De Malde, M.: Stereospecific polymerization of 1,3-butadiene. II. Kinetic studies, 753
Medvedev, S. S.: see Diaconescu, A. I.
Meehan, E. J., Kolthoff, I. M., and Tsao, M. S.: Kinetics of reaction of ferricyanide with mercaptan solubilized in polystyrene latex, 3957
Mehrotra, R. C., Vyas, P. C.: Studies in condensed phosphates. Part VIII. Complex potassium polymetaphosphates of calcium, zinc, and cadmium, 2535
Meinecke, E.: see Hoshino, S.
Mejzler, D.: Probabilistic model for the structure of the microfibril of cellulose, 389
——: see Ohad, I.
Mele, A.: see Cordischi, D.
Merrill, L. J., Sauer, J. A., and Woodward, A. E.: Proton magnetic resonance of poly(ethyl acrylate), poly(butyl acrylate), poly(ethyl vinyl ether), poly(vinyl propionate), poly(vinyl stearate), and vinyl stearate from 77°K., 4243
Merrill, S. H., and Petrie, S. E.: Block copolymers based on 2,2-bis(4-hydroxyphenyl) propane polycarbonate. II. Effect of block length and composition on physical properties, 2189
Meyer, H. H., Mangin, P.-M. F., and Ferry, J. D.: Dynamic mechanical properties of poly(*n*-butyl methacrylate) near its glass transition temperature, 1785
——, ——, and ——: Dynamic mechanical properties of poly(*n*-butyl methacrylate) near its glass transition temperature (*erratum*), 4000
Meyer, V. E.: see Lowry, G. G.
Meyersen, K.: see Altares, T., Jr.
Michelotti, F. W., and Keaveney, W. P.: Coordinated polymerization of the bicyclo-[2.2.1]-heptene-2 ring system (norbornene) in polar media, 895
Middleton, W. J., Jacobson, H. W., Putnam, R. E., Walter, H. C., Pye, D. G., and Sharkey, W. H.: Fluorothiocarbonyl compounds. V. Polymerization of thiocarbonyl compounds, 4115
Miles, M. L.: see Butler, G. B.
Miller, G. H., Chock, D., and Chock, E. P.: Free radicals in popcorn polymers, 3353
Miller, L.: see Hwa, J. C. H.
Mimashi, S.: see Tsuchida, E.
Minami, S.: see Yamada, N.
Minoura, Y.: see Sugimura, T.
——, and Mitoh, M.: Kinetic study of cyclopolymerization, 2149
Miranda, T. J.: see D'Alelio, G. F.
Mitoh, M.: see Minoura, Y.
Mitsuhashi, K., and Marvel, C. S.: Poly-2,6-(*m*-phenylene)-3,5-dimethyl-diimidazolebenzene, 1661
Miyake, H., Hayashi, K., and Okamura, S.: Synthesis of condensation polyesters

containing the bis(halomethyl) group, 2731
Miyama, H.: see Kamachi, M.
Mizote, A., Tanaka, T., Higashimura, T., and Okamura, S.: Cationic polymerization $\alpha,\beta$-disubstituted olefins. Part I. Cationic copolymerization of $\beta$-methylstyrenes, 2567
Modena, M., Bates, R. B., and Marvel, C. S.: Some low molecular weight polymers of *d*-limonene and related terpenes obtained by Ziegler-type catalysts, 949
Molau, G. E.: Heterogeneous polymer systems. II. Mechanism of stabilization of polymer oil-in-oil emulsions, 4235
——: Heterogeneous polymer systems. I. Polymeric oil-in-oil emulsions, 1267
Moore, C. G.: see Bristow, G. M.
Moore, R. S.: Ringed spherulite deformation and multiple-order light scattering from ringed spherulites, 4093
Morawetz, H.: see O'Neill, J. J.
Morelli, F., Masetti, G., Butta, E., and Baccaredda, M.: Polymerization of trioxane by crystallization on activated seeds from cyclohexane solutions, 2441
Morgan, R. A.: see Stille, J. K.
Morikawa, H.: see Tanaka, S.
Mortimer, G. A.: see Tidwell, P. W.
Moshonas, M. G.: see Durrell, W. S.
Moyer, P. H.: Reactions of titanium tetrachloride (tetraiodide, dichlorodiiodide) with alkylaluminum compounds, 209
——: Studies of the reduction of titanates and alkoxytitanium (IV) chlorides by alkylaluminum chlorides, 199
Moyer, P. H.: see Lehr, M. H.
——, and Lehr, M. H.: Studies of the polymerization of butadiene by titanium(IV) compounds with alkylaluminums, 217
Moyer, W. W., Jr., Cole, C., and Anyos, T.: Aromatic polybenzoxazoles, 2107
Murano, M., Kaneishi, Y., and Yamaders, R.: Determination of the copolymerization ratio in polyethylene terephthalate–isophthalate by high resolution nuclear magnetic resonance spectroscopy, 2698
Nagasawa, M.: see Fujimoto, T.
Nagase, K., and Sakaguchi, K.: Alkaline hydrolysis of polyacrylamide, 2475
Nakata, T., Otsu, T., and Imoto, M.: Vinyl polymerization. XCI. Polymerization of styrene initiated by nickel peroxide, 3383
Nakayama, H., and Yoshioka, K.: Field strength dependence of the electric birefringence of potassium polystyrenesulfonate solutions, 813
Narisawa, S.: see Kagiya, T.
Natta, G., Allegra, G., Bassi, I. W., Sianesi, D., Caporicco, G., and Torti, E.: Isomorphism phenomena in systems containing fluorinated polymers and in new fluorinated copolymers, 4263
——, Corradini, P., Ganis, P.: X-ray study of some isotactic substituted polycarboalkoxybutadienes, 11
——, Valvassori, A., Ciampelli, F., and Mazzanti, G.: Some remarks on amorphous and atactic $\alpha$-olefin polymers and random ethylene–propylene copolymers, 1
Needles, H. L., and Whitfield, R. E.: Crosslinking of copolymers containing *N,N*-dimethylacrylamide, 3543
Neuse, E. W., and Quo, E.: Ferrocene-containing polymers. V. Polycondensation of *N,N*-dimethylaminomethylferrocene, 1499
Newman, S.: see Hoshino, S.
Nicolescu, I. V., and Angelescu, E. M.: Study of hydrocarbon-soluble organometallic catalysts. I. Correlations between catalytic activity and electric conductivity of $Al(C_2H_5)_3$–$Ti(OC_4H_9)_4$ catalysts in the synthesis of stereoregular polyacetylene, 1227
Nishimura, N.: Viscosities of concentrated polymer solutions, 237
Nomura, S.: see Oda, T.
Norling, P. M.: see Tobolsky, A. V.
Oda, T., Nomura, S., and Kawai, H.: Deformation mechanism of polyethylene spherulite, 1993
Odian, G.: see Bernstein, B. S.
O'Donnel, J. L.: see Marvel, C. S.
O'Driscoll, K. F.: Solvent effects in anionic copolymerization. III. Reactivity of dienes, 2223
——, Lyons, P. F., and Patsiga, R.: Kinetics of polymerization of styrene initiated by substituted benzoyl peroxides. III. Induced decomposition, 1567
——, and Patsiga, R.: Solvent effects in anionic copolymerization, 1037
——, Ricchezza, E. N., and Clark, J. E.: Kinetics of the initiation of styrene polymerization by *n*-butyllithium, 3241
——, and White, P. J.: Kinetics of polymerization of styrene initiated by substituted peroxides. II. Decomposition rate constants and efficiencies, 283
——, Yonezawa, T., and Higashimura, T.: Solvent effects in anionic copolymerization. II. Molecular orbital treatment for the pair: Styrene–methylstyrene, 2215
Ogawa, T.: see Shaw, R. A.
Ogino, K.: see Kuwahara, N.
Ohad, I., and Mejzler, D.: On the ultrastructure of cellulose microfibrils, 399
Ohsumi, Y., Higashimura, T., and Okamura, S.: Penultimate effect in stereospecific polymerization by ionic mechanism, 3729
Okada, R., and Tanzawa, H.: Apparent activation energy for the viscous flow of polymer solutions, 4294
Okada, T.: see Shirayama, K.
Okamoto, S.: see Hajimoto, Y.
Okamura, S.: see Imanishi, Y.
——: see Miyake, H.
——: see Mizote, A.

——: see Ohsumi, Y.
Olivier, K. L.: see Sroog, C. E.
O'Neal, H. R.: see Brady, W. T.
O'Neil, J. J., Loebl, E. M., Kandanian, A. Y., and Morawetz, H.: Dependence of the association of poly(methacrylic acid) with divalent cations on the stereoregularity of the polymers, 4201
Orban, G.: see Bernstein, B. S.
Orito, Z.: see Yamada, N.
Osipov, E. A.: see Zubov, P. I.
Otsu, T.: see Nakata, T.
——, Shimizu, A., and Imoto, M.: Vinyl polymerization. XCII. Polymerization of propenyl chloride isomers, 615
Ouchi, I.: Electron spin resonance of heat-treated poly(vinyl chloride), 2685
——, Chapman, T. M., and Wojnarowski, T.: Homogeneous ionic copolymerization. A study of solvent effects in the styrene systems, 2865
Overberger, C. G., and Friedman, H. A.: Thioureas and isothiuronium salts. Polymeric derivatives, 3625
——, and Jarovitzky, P. A.: Kinetic study of the polymerization of *α-d*-styrene and/or styrene by homogeneous catalysis. Part II, 1483
Ozaki, N.: see Fujimoto, T.
Padgett, C. D.: see Durrell, W. S.
Pankey, J. W.: see Lee, L.-H.
Parravano, G.: see McCarty, W. H.
Partridge, R. H.: Electron traps in polyethylene, 2817
Pascale, J. V.: see Hansen, R. H.
Pasika, W. M.: Dimer formation in the trityl cationic polymerization of styrene oxide, 4287
——, and Cragg, L. H.: Semiquantitative aspect of short branch detection by using polyelectrolyte expansive effects, 2527
——, and ——: Viscosity behavior of branched and linear potassium carboxymethyl dextrans, 1391
Patel, R. D.: see Patel, R. S.
Patel, R. S., and Patel, R. D.: Test of theories of Glory, Ptitsyn, and Kurata for dilute polymer solutions, 2123
Patel, V. C.: see Freeman, D. H.
Patsiga, R.: see O'Driscoll, K. F.
Pauluzzi, E.: see Marconi, W.
Paxton, H. J.: see Welch, F. J.
Peebles, L. H.: Polyacrylonitrile prepared in ethylene carbonate solution. II. Kinetics at high conversion, 353
Peebles, L. H.: Polyacrylonitrile prepared in ethylene carbonate solution. I. Kinetics at low conversion, 341
——: Polyacrylonitrile prepared in ethylene carbonate solution. III. Molecular parameters, 361
Perrine, T. D., and Goolsby, P. F.: Fractionation of poly(ethylenimine) by curtain electrophoresis, 3031
Perry, E.: see Hughes, L. J.
Peterlin, A., and Reinhold, C.: Thermodynamic stability of polymer crystals. III. Torsional and longitudinal chain vibrations, 2801
Petrie, S. E.: see Merrill, S. H.
Peyser, P., and Ullman, R.: Adsorption of poly-4-vinylpyridine onto glass surfaces, 3165
Pezzaglia, P.: see Ryder, E. E. Jr.
Phillips, R. C.: see Glick, E. E.
Phillips, W. L., Jr.: Point imperfections and dislocations: Proper nomenclature, 3986
Picklesimer, L. G.: see Sheehan, W. C.
——, and Saunders, T. F.: Polyphenylene-*s*-triazinyl ethers by interfacial polycondensation, 2673
Picozzi, L.: see Coiro, V. M.
Polacek, J., Kossler, I., and Vodehnal, J.: Fractionation of polydienes by means of precipitation chromatography, 2511
Pollack, S. S.: see Magill, J. H.
Potter, G. H.: see Zutty, N. L.
Powell, J. A., and Graham, R. K.: Polymerization studies on methyl and ethyl-*α*-fluoromethacrylate, 3451
Powers, J.: see Hoshino, S.
Pramanik, A.: see Ghosh, P.
Previtera, S. A.: see McClanahan, J. L.
Price, F. P.: A phenomenological theory of spherulitic crystallization: Primary and secondary crystallization processes, 3079
Price, T. R.: see Fox, R. B.
Priest, D. C.: see Zutty, N. L.
Proctor, S. I., Jr.: see Andersen, H. M.
Putnam, R. E.: see Middleton, W. J.
Ptack, M.: see Guyot, A.
Pullen, W. J.: see Levene, A.
Pye, D. G.: see Middleton, W. J.
Quo, E.: see Neuse, E. W.
Rabinowitz, R., Henry, A. C., and Marcus, R.: Synthesis of vinylphosphonium compounds, 2055
——, and Marcus, R.: Polymerization of vinylphosphonium compounds, 2063
Raff, R., Cook, J. L., and Ettling, B. V.: Benzaldehyde polymerization and copolymerization studies, 3511
Rafikov, S. R., Gladishev, G. P., Khasanova, N. F., and Churbakova, N. V.: Influence of the nature of the initiator on the bulk polymerization of methyl methacrylate, 37
Ramey, K. C., Field, N. D., and Borchert, A. E.: NMR study of polymers of ethyl, isopropyl, and *tert*-butyl vinyl ethers, 2885
Ramp, F. L.: Polyamides via the Ritter reaction, 1877
Rånby, B.: see Yoshida, H.
Rao, H., and Ballantine, D. S.: Solid-state polymerization of trioxane, 2579
Rase, T. B.: see Lyda, T. B.
Ravve, A.: see Mallavarapu, L. X.
——, Khamis, J. T., and Mallavarapu, L. X.: A study on a three-component polymer formation, 1775
Ray, S.: see Cassidy, P. E.
Raymond, M. A.: see Butler, G. B.

Reich, L., and Stivala, S. S.: Uncatalyzed, uninhibited thermal oxidation of polypropylene, 4299
Reinhold, C.: see Peterlin, A.
Reneker, D. H.: Localized deformation of lamellar polyethylene crystals, 1069
Rentzepis, P. M.: see Barker, R. E., Jr.
——: see Hansen, R. H.
Rhodes, J. H.: see Chiang, R.
Ricchezza, E. N.: see O'Driscoll, K. F.
Riess, G.: see Vuillemenot, J.
Rijke, A. M.: Excluded volume effects in swollen polymeric networks, 3523
Roberts, J.: see Levene, A.
Roberts, R., Lundberg, R. D., and Zutty, N. L.: The effect of conversion on the copolymerization of ethylene and dibutyl fumarate, 3977
Robertson, R. F.: see Blachford, J.
Rogers, F. E.: Polymerization of monomers containing thiiran rings, 2701
Roman, N.: see Krause, S.
Rosen, I., Hudgin, D. E., Sturm, C. L., McCain, G. H., and Wilhjelm, R. M.: Poly(chloroaldehydes). I. Polychloral stabilization, 1535
——, and Sturm, C. L.: Poly(chloroaldehydes). III. Poly(dichloro acetaldehyde), 3741
——, ——, McCain, G. H., Wilhjelm, R. M., and Hudgin, D. E.: Poly(chloroaldehydes). II. Polymerization of chloral, 1545
Rosenbaum, S.: Temperature dependence of dye diffusion, 1949
Rothenbury, R. A.: Anomalous effects of catalyst mole ratio on molecular weight of Ziegler polyethylene, 3038
Rubin, I. D.: Effect of some additives on the crystalline transformations of polybutene-1, 3803
Rusnock, J. A., and Hansen, D.: Application of transmission electron microscopy to polymer thin sections. I. Observations on nylon 66, bulk and filament forms, 647
Russell, R. M.: see Bristow, G. M.
Ruysschaert, J.-M.: see Jaffe, J.
Ryder, Jr., E. E., and Pezzaglia, P.: Polymerization of acrolein by redox initiation, 3459
Sakaguchi, K.: see Nagase, K.
Salovey, R.: see Luongo, J. P.
Salyer, I. O., Heyd, J. W., Brodbeck, R. M., Hartzel, L. W., and Brown, L. E.: Use of a capillary extrusion rheometer to measure curing of thermosetting plastics and rubbers, 1911
Samuels, R. J.: Morphology of deformed polypropylene. Quantitative relations by combined x-ray, optical, and sonic methods, 1741
Sandler, S. R., Dannin, J., and Tsou, K. C.: Copolymerization of *p*-triphenyltinstyrene and *p*-triphenyllead styrene with styrene or vinyltoluene, 3199
Santappa, M.: see Sheriff, A. I. MD.
Sauer, J. A.: see Crissman, J. M.
Sauer, J. A.: see Merrill, L. J.
Saunders, P. R.: Dilute solution properties of nylon 66 dissolved in 2,2,3,3-tetrafluoro-propanol, 1221
Saunders, T. F.: see Picklesimer, L. G.
Sawada, H.: Thermochemistry of polymerization. Part II. Thermochemical aspects of equilibrium copolymerization, 2483
——: Thermochemistry of polymerization. Part III. Thermochemical aspects of propagation of polymerization, 3929
Schissler, D. O.: see Balas, J. G.
Schmitt, C. A.: see Kurath, S. F.
Schneider, N. S., Furusaki, S., and Lenz, R. W.: Chain stiffness in polyisocyanates, 933
Schneider, W. C.: see Chinai, S. N.
Schonhorn, H., and Sharpe, L. H.: Surface energetics, adhesion, and adhesive joints. IV. Joints between epoxy adhesives and chlorotrifluoroethylene copolymer and terpolymer (Aclar), 3087
——, and ——: Surface energetics, adhesion, and adhesive joints. III. Surface tension of molten polyethylene, 569
Schramm, E. C.: see Valles, R. J.
Scott, K. W.: see Calderon, N.
Sedlak, J. A., and Matsuda, K.: 1-Fluorovinyl methyl ketone: Preparation and polymerization, 2329
Seiner, J. A.: Multicomponent copolymer calculations. I. Basic equations, 2401
——: Multicomponent copolymer calculations. II. Optimizing monomer distribution uniformity, 3025
Sen, S. K.: see Horvath, E. G.
Sengupta, P. K.: see Ghosh, P.
Sharkey, W. H.: see Middleton, W. J.
Sharpe, L. H.: see Schonhorn, H.
Shaw, R. A., and Ogawa, T.: Inorganic polymers. Part I. A solid inorganic foam, 3343
——, ——: Inorganic polymers. Part II. The thermal bulk condensation polymerization of *P*-phenylphosphonic diamide, 3865
Sheehan, W. C., Cole, T. B., and Picklesimer, L. G.: Investigation of thiazole polymers for heat-resistant fibers and films, 1443
Shelden, R. A.: see Fueno, T.
Shen, M. C., and Tobolsky, A. V.: Rubber elasticity of preswollen polymer networks: Highly crosslinked vinyl–divinyl systems, 629
Shen Kwei, K-P.: Decomposition of azobisisobutyronitrile in dioxane–water mixture and its dependence on pH, 2387
Sheriff, A. I. MD:, and Santappa, M.: Dye-sensitized polymerization of vinyl monomers in aqueous solution, 3131
Shetter, J. A.: see Krause, S.
Shibayama, K., and Suzuki, Y.: Effect of crosslinking density on the viscoelastic properties of unsaturated polyesters, 2637
Shimizu, A.: see Otsu, T.

Shinomiya, M.: see Yoshino, T.
Shirayama, K., Okada, T., and Kita, S-I.: Distribution of short-chain branching in low-density polyethylene, 907
Shultz, A. R.: Polydisperse polymers with random trifunctional branching. I. Evaluation of the extent of branching, 4211
——: see Berger, H. L.
Sianesi, D.: see Natta, G.
Singh, H., Thampy, R. T., and Chipalkatti, V. B.: Graft copolymerization of vinyl monomers initiated by manganic sulfate–sulfuric acid, 4289
——, ——, and ——: Studies on graft copolymers of methyl methacrylate with cellulose using pentavalent vanadium compounds, 1247
——, and Weissbein, L.: Analysis of relaxation constants in polyurethanes, 1675
Sitaramaiah, G.: Polymer–solvent interactions of bisphenol A polycarbonate in different solvents, 2743
Smart, C.: Thermostatted cell for a Brice-Phoenix light-scattering photometer, 3015
Smets, G.: see Hermans, J. P.
Smid, J.: see Bhattacharyya, D. N.
Smith, J. G.: see Bell, A.
Smith, M. E.: see Freeman, D. H.
Snell, J. B.: Polymer production from aqueous solutions of D-glucose by high-energy radiation, 2591
Šolc, K.: see Bohdaneckýý, M.
Solomon, D. H., and Swift, J. D.: Reaction of $\alpha,\alpha$-diphenyl-$\beta$-picrylhydrazyl with acids, 3107
Sood, S. P.: see Ihrig, J. L.
Southern, E., and Thomas, A. G.: Effect of constraints on the equilibrium swelling of rubber vulcanizates, 641
Sroog, C. E., Endrey, A. L., Abramo, S. V., Berr, C. E., Edwards, W. M., and Olivier, K. L.: Aromatic polypyromellitamides from aromatic polyamic acids, 1373
Stannett, V.: see Lando, J. B.
——: see Wellons, J. D.
——, Avaki, K., Gervasi, J. A., and McLeskey, S. W.: Radiation grafting of vinyl monomers to wool. Part I, 3763
Stein, R. S.: see Hoshino, S.
Stenstrom, J. A., and Hale, W. F.: Gas permeability of three isomeric polyhydroxyethers, 3843
Stewart, A. T., Jr.: see Fischer, R. F.
Stille, J. K., and Arnold, F. E.: Aromatic polyaminotriazoles, 4284
——, and Morgan, R. A.: A novel polyimide, 2397
——, Williamson, J. R., and Arnold, F. E.: Polyquinoxalines, II., 1013
Stivala, S. S.: see Holahan, F. S.
Storey, B. T.: Copolymerization of styrene and *p*-divinylbenzene. Initial rates and gel points, 265
Stolka, M.: see Kossler I.
Stueben, K. C.: A dimeric cyclic aromatic carbonate, 2397
——: Polycarbonate to polyether conversions, 3681
——: Polymers containing the 3,3,3′,3′-tetramethyl-1-1′-spirobiindane residue, 3209
Stump, E. C., Jr.: see Durrell, W. S.
Sturm, C. L.: see Rosen, I.
Sugimura, T., Yasumoto, N., and Minoura, Y.: Effect of thiourea on the radical polymerization of vinyl monomers. Part I. Polymerization of acrylonitrile with the hydrogen peroxide–thiourea catalyst system, 2935
Suzuki, Y.: see Shibayama, K.
Sweeting, O. J.: see Gipstein, E.
——: see Gupta, M. K.
——: see Hansen, O. C., Jr.
Swift, J. D.: see Solomon, D. H.
Szwarc, M.: see Bhattacharyya, D. N.
Szymanski, H. A., and Bluemle, A.: Study of phenolic resins by PMR spectroscopy with arsenic trichloride as a solvent, 63
Tadokoro, H.: see Matsui, Y.
Tamura, N.: see Hajimoto, Y.
Tanaka, S., and Morikawa, H.: Average lifetime of growing chain in propylene polymerization, 3147
Tanaka, T.: see Mizote, A.
Tanaka, Y., and Kakiuchi, H.: Critical conditions for formation of infinite networks in branched-chain polymers, 3279
Tanzawa, H.: see Okada, R.
Tasumoto, T.: Anionic polymerization of $\omega$-lactam. Part II. Polymerization of $\epsilon$-caprolactam by alkali metal and imino chlorides, 3877
Thampy, R. T.: see Singh, H.
Theocaris, P. S.: Relaxation response of polyurethane elastomers, 2619
Thomas, A. G.: see Southern, E.
Tidwell, P. W., and Mortimer, G. A.: An improved method of calculating copolymerization reactivity ratios, 369
Tirelli, S.: see Bernstein, B. S.
Tobolsky, A. V.: see Shen, M. C.
——: see Vofsi, D.
——, and Norling, P. M.: Scission reactions in some vinyl and vinylidene polymers, 1435
Torti, E.: see Natta, G.
Troughton, G. E.: see James, D. G. L.
Tsao, M. S.: see Meehan, E. J.
Tsatsos, W. T.: see Bergman, E.
Tsou, K. C.: see Sandler, S. R.
——, Hoyt, H. E., and Halpern, B. D.: Copolymerization of 2,6-dimethyl-4-bromophenol with 2-methyl-4-bromo-6-allylphenol and other *p*-bromophenols, 2009
Tsuchida, E., and Mimashi, S.: Analysis of oligomerization kinetics of styrene on the electronic digital computer, 1401
Tsukamoto, A.: Polymerization of acrylonitrile by electron transfer initiation, 2767

Tsunoda, T., and Yamaoka, T.: Study of the orientation of light-sensitive tetrazonium salt in poly(vinyl alcohol), 3691
Tsutsui, M., and Ariyoshi, J.: Elemental organic compounds. Part XIV. Polymerization of diene with organotransition metals, 1729
Tubbs, R. K.: Melting point and heat of fusion of poly(vinyl alcohol), 4181
Tung, L. H.: Stress-cracking of polyethylene examined from the viewpoint of critical strain, 1045
Turley, J. W.: A manual of x-ray diffraction patterns of polymers, 2400
Tyuzyo, K.: Copolymer composition in condensation copolymerization, 3654
Uchiyama, H.: see Izumi, Z.
Ueda, S.: see Kataoka, T.
Uematsu, I.: see Krigbaum, W. R.
Ueno, S.: see Kuwahara, N.
Ullman, R.: see Peyser, P.
Un, H. H.: see Longone, D. T.
Unishi, T., and Hasegawa, M.: Aliphatic poly-1,3,4-oxadiazides, 3191
Uno, K.: see Iwakura, Y.
Valle, G.: see Carazzolo, G.
Valles, R. J.: Dilute solution properties of high molecular weight poly(isobutyl methacrylate). II. Light scattering, 3853
——, and Schramm, E. C.: Dilute solution properties of high molecular weight poly(isobutyl methacrylate). I. Viscosity, 3664
Valvassori, A.: see Natta, G.
Vander Burgh, L. F., and Brockway, C. E.: Copolymerization of secondary fumarates with styrene, 575
Venkatachalam, T. K.: see Wiley, R. H.
Vinogradov, G. V., and Belkin, I. M.: Elastic, strength, and viscous properties of polymer (polyethylene and polystyrene) melts, 917
Vodehnal, J.: see Kossler, I.
——: see Polacek, J.
Vofsi, D., and Tobolsky, A. V.: Oxonium ion-initiated polymerization of tetrahydrofuran, 3261
Vuillemenot, J., Barbier, B., Riess, G., and Banderet, A.: Contribution a l'étude de la cinetique de formation de polymeres sequences par voie radicalaire, 1969
Vyas, P. C.: see Mehrotra, R. C.
Wall, L. A.: see Yoshida, T.
Walter, H. C.: see Middleton, W. J.
Warwicker, J. O., and Ellis, K. C.: Crystallite orientation in regenerated cellulose filaments. III. Crystallite orientation in viscose monofilaments, 4159
Wassermann, A.: see Levy, A. A.
Watanabe, M.: see Izumi, Z.
——: see Krause, S.
Weber, E. C.: see Lipscomb, N. T.
Weissbein, L.: see Singh, A.
Welch, F. J., and Paxton, H. J.: Preparation and polymerization of addition compounds of unsaturated tertiary phosphine oxides, 3427
——, and ——: Preparation and polymerization of propenyldiphenylphosphine oxide isomers, 3439
Wellisch, E.: see Gipstein, E.
——: see Gupta, M. K.
Wellons, J. D., and Stannett, V.: Preparation and characterization of some cellulose graft copolymers. Part III. The role of concurrent degradation during radiation grafting, 847
Westmoreland, G.: see Durrell, W. S.
Wexler, H., and Manson, J. A.: Polymerization of vinyl monomers by organoaluminum initiators, 2903
White, H. F.: An infrared structural study of fluorocarbon polymers, 309
White, P. J.: see O'Driscoll, K. F.
Whitfield, R. E.: see Needles, H. L.
Whitworth, C. J.: see Zutty, N. L.
Wiley, R. H., and Crawford, T. H.: NMR characteristics of *o*-, *m*-, and *p*-nitrostyrenes, 829
——, and Devenuto, G.: Kinetics of the polymerization and styrene copolymerization of *m*- and *p*-divinylbenzene, 1959
——, and Venkatachalam, T. K.: Rates of sulfonation of polystyrenes crosslinked with pure *p*-, 2:1/*m*:*p*-, and commercial divinylbenzenes, 1063
Wilhjelm, R. M.: see Rosen, I.
Wilkes, R. A.: see Cuneen, J. I.
Williamson, G. R., and Wright, B.: Interactions in binary polymer systems, 3885
Williamson, J. R.: see Stille, J. K.
Wilson, C. W., III: see Zutty, N. L.
Winger, R.: see Carmichael, J. B.
Winston, A., and Hamb, F. L.: Copolymerization of 4-cyclopentene-1,3-dione with styrene, 583
Wofford, C. F.: see Zelinski, R. P.
Wojnarowski, T.: see Overberger, C. G.
Wojtczak, Z.: Interaction between alkaline earth metal cations and poly(methacrylic acid) in dilute solutions. I. Viscometric and conductometric titrations, 3613
Woodbrey, J. C., Higginbottom, H. P., and Culbertson, H. M.: Proton magnetic resonance study on the structures of phenol–formaldehyde resins, 1079
Woodward, A. E.: see Crissman, J. M.
——: see Merrill, L. J.
Worsfold, D. J.: see Johnson, A. F.
Wrasidlo, W.: see Hergenrother, P. M.
Wright, B.: see Williamson, G. R.
Wyman, D. P.: see Altares, T., Jr.
——: see Coleman, L. E.
——: see Magill, J. H.
——, Elyash, L. J., and Frazer, W. J.: Comparison of some mechanical and flow properties of linear and tetrachain branched "monodisperse" polystyrenes, 681
Yamada, N., Orito, Z., and Minami, S.: Relaxation phenomena of polyoxymethylene obtained from solid-state polymerization, 4173
Yamadera, R.: see Murano, M.
Yamaoka, T.: see Tsunoda, T.

Yamashita, Y.: Single crystals of amylose V complexes, 3251
——: Single crystals of poly(ethylene terephthalate), 81
——: see Ito, K.
Yasumoto, N.: see Sugimura, T.
Yasumoto, T.: Anionic polymerization of ω-lactam. Part I. Polymerization of ε-Caprolactam by alkaline catalysts and ketenimines, 3301
Yoda, N.: see Konishi, A.
——, and Marvel, C. S.: Base-catalyzed polymerization of aromatic sulfonamides with an activated double bond. I, 2229
Yonezawa, T.: see O'Driscoll, K. F.
Yoshida, H., and Rånby, B.: Electron spin resonance studies on oriented polyoxymethyl, 2289
Yoshida, T., Florin, R. E., and Wall, L. A.: Stress relaxation of γ-irradiated fluorocarbon elastomers, 1685
Yoshihara, T.: see Matsui, Y.
Yoshino, T., and Shinomiya, M.: Raman spectra of polymers in solution, 2811
Yoshioka, K.: see Nakayama, H.
Youngman, E. A.: see Lunk, H. E.
Zelinski, R. P., and Wofford, C. F.: Synthesis of trichain and tetrachain radial polybutadienes, 93
Zubov, P. I., and Osipov, E. A.: Studies of structure formation in poly(vinyl alcohol) solutions, 423
Zutty, N. L.: see Roberts, R.
——, Wilson, C. W., III, Potter, G. H., Priest, D. C., and Whitworth, C. J.: Copolymerization of bicyclo[2.2.1]hept-2-ene and sulfur dioxide. Evidence for propagation by biradical coupling, 2781

# SUBJECT INDEX, VOLUME 3

Acetylacetonates, metal, polymerizations with styrene, 3668
Acetylated guaran, hydrodynamic behavior, 1825
Acrolein, polymerization, redox-initiated, 3459
thermoplastic properties of, 3495
Acrylamide, polymerization in aqueous solution, sensitized by methylene blue–triethanolamine system, 1107
polymerization in deaerated systems, 1807
polymerization rates enchanced, 1155
Acrylic polymers, glass temperature of, 3573
Acrylonitrile, copolymerization with sodium allyl sulfonate, effect of reaction medium, 2965
copolymerization with sodium-*p*-styrenesulfonate in dimethyl sulfoxide solution, 2721
cyclopolymerization with 1,4-dienes, relative rates of addition in, 4205
polymerization by electron transfer initiation, 2767
polymerization with hydrogen peroxide–thiourea catalyst system, 2935
Acrylonitrile–butadiene–styrene resins, phase separation of, 3825
Activation energy, apparent, for the viscous flow of polymer solutions, 4294
Addition, relative rates of, in cyclopolymerization of acrylonitrile with 1,4-dienes, 4205
Addition compounds, of unsaturated tertiary phosphine oxides, preparation and polymerization, 3427
Additives, effect on the crystalline transformations of polybutene-1, 3803
effect in polymerization of $\alpha$-methylstyrene by *n*-butyllithium, 2259
Adhesion, 569
Adhesive joints, 569
Adsorption, of polyacrylamide on calcium phosphate, kinetic studies of, 3519
Air–water interface, ionization of polyelectrolytes at, 4047
Alkali metal chlorides, polymerization of $\epsilon$-caprolactam by, 3877
Alkaline earth metals, cations of, interaction with polymethacrylic acid in dilute solutions, 3613
Alkoxytitanium(IV) chlorides, reduction of, 199
Allyl acetate, 75
Allyl ester, radical displacement in polymerization, 75
Allylureas, copolymerization with lauryl methacrylate, 1793
Amylose V complexes, single crystals of, 3251
Anionic polymerization, butadiene, styrene, 449
of methyl methacrylate, electrically controlled, 4191
Anionic polymerization mechanism, methyl methacrylate, 1617
Aromatic dianhydrides, polymers from, 3549
Aromatic polyaminotriazoles, 4284
*ortho* Aromatic tetraamines, polymers from, 3549
Avrami equation, for bulk crystallization kinetics of spherulitic polymers, 3067
Azobisisobutyronitrile, decomposition, dependence upon pH, 2387
decomposition in dioxane–water, 2387
Benzaldehyde, polymerization and copolymerization, studies of, 3511
Bicyclo-[2.2.1]-heptene-2 ring system, coordinated polymerization, 895
Biradical coupling, 2781
Birefringence, of poly-3-methyl-1-pentene, temperature effects on, 3982
Block copolymers, based on 2,2-bis-4-hydroxy-phenyl propane polycarbonate, 2189
Block length, effect on physical properties, 2189
Branching, evaluation of extent of, in polydisperse polymers, 4211
polybutadiene-*co*-styrene, 1289, 1303, 1313, 1325
short chain distribution in low-density polyethylene, 907
Brice-Phoenix light-scattering photometer, thermostatted cell for, 3015
Butadiene, anionic polymerization, 449
polymerization by *n*-butyllithium–titanium tetrachloride catalysts, 231
polymerization kinetics with alkyllithiums, 153, 163, 173
polymerization by Titanium(IV) compounds, 217
1,3-Butadiene, polymerization in presence of soluble cobalt complex catalyst, 31
stereospecific polymerization, 735
*tert*-Butyl hydroperoxide, polymerizations with styrene, 3668
Butyllithium, polymers, molecular weight and molecular weight distribution, 191
*n*-Butyllithium, initiation of styrene polymerization, 3241
in polymerization of $\alpha$-methylstyrene, 2259
Cadmium, potassium metaphosphates of, 2535

Calcium, potassium polymetaphosphates of, 2535
Calcium phosphate, adsorption of polyacrylamide on, kinetic studies of, 3519
Capillary extrusion rheometer, curing of plastics and rubbers, 1911
ε-Caprolactam, polymerization by alkali metal and imino chlorides, 3877
polymerization by alkaline catalysts and ketenimines, 3301
Carbonate, dimeric, cyclic, aromatic, 2396
Carbon monoxide, terpolymerization of olefins and *cis,cis*-1,5-cyclooctadiene with, 3699
Carboxylic rubbers, fracture properties of, 3935
Carboxymethyl cellulose, 1859
Catalyst mole ratio, anomalous effects upon molecular weight of Zeigler polyethylene, 3038
Catalysts, alcohol-modified transition metal polymerization, 3713
cobalt, 2243
effects interpolymerization of ethylene, propylene, and dicyclopentadiene, 3157
Phillips system, 1765
hydrocarbon-soluble organometallic, 1227
tertiary amine-coordinated lithiumalkyl, polymerization and telomerization reaction of olefins with, 3753
three component, 2135, 2407
Zeigler, 2491
$TiCl_3$–$Al(C_2H_5)_3$, for polymerization of vinylcyclohexane, 4029
Cellodextrins, hydrodynamic friction coefficients, 1515
Cellophane, dynamic elastic modulus of, 2313
Cellulose, crystalline state in cotton fiber, 1251
graft copolymerization by ceric ion method, 1185
Cellulose graft copolymers, preparation and characterization, 847
Cellulose microfibril, structure of, 389
ultrastructure, 399
Ceric ion method, graft copolymerization onto cellulose, 1185
Chain transfer, of free radicals, 1801
low polymerization temperatures, 1801
Chain vibrations, torsional and longitudinal, 2801
Chloral polymerization, 1545
Chlorostearic acid, vinyl esters of, 2991
Chlorotrifluoroethylene, copolymer and terpolymer, joints with adhesives, 3087
Clay–polymer complex, preparation, 2653
Cobalt catalyst, for stereospecific polymerization of butadiene, 2243
Cocrystal peak, linear-high pressure polyethylene blends, 671
Comonomer distribution, ethylene copolymers, 803
Condensation copolymerization, copolymer composition in, 3654
Condensation polyesters, synthesis, containing the bishalomethyl group, 2731
Condensed-ring hydrocarbons, reactivity as polymerization retarders, 1573
Conductometric titrations, 3613
Conformational transition, in poly(acrylic acid), 2555
Conversion, effect on copolymerization of ethylene and dibutyl fumarate, 3977
Copolymerization, alternating, kinetics of, 703
integral and differential binary equations, 2843
spontaneous, bicyclo [2.2.1]hept-2-ene and sulfur dioxide, 2781
styrene and secondary fumarates, 575
Copolymerization reactivity ratios, calculating, 369
Copolymers, composition and microstructure of, 2165
Cotton fiber, crystalline state of cellulose in, 1251
Crosslinking, of copolymers containing *N,N*-dimethyl-acrylamide, 3543
of dialdehyde starches with wheat proteins, 3857
Crosslinking density, effect on viscoelastic properties of unsaturated polyesters, 2637
Crosslinking efficiency, of di-*tert*-butyl and dicumyl peroxides, dependence upon type of natural rubber, 3893
Crystalline growth, of polyvinylcyclohexane, 2710
Crystallinity, variation with temperature for homopolymers and random copolymers, 2915
Crystallite orientation, in viscose monofilaments, 4159
Crystallization, on activated seeds, 2441
primary and secondary processes, 3079
in stretched polymer networks, 3787
Crystallization temperature, of high polymers, 2019
Crystal modification, of linear polymethylene, 3781
Curing, of thermosetting plastics and rubbers, 1911
Curtain electrophoresis, fractionation of polyethylenimine, 3031
Cyclic acids, vinyl esters of, polymerization, 3659
Cyclic distribution, dimethylsiloxanes, 971
1,4-Cyclohexanebismethylamine, polyamides of, 19
1,2-Cyclohexene oxide, radiation-induced polymerization, 3421
Cyclic polymerization, 1-methylene-4-vinylcyclohexane, 723
4-vinylcyclohexane, 1609
4-Cyclopentene-1,3-dione, styrene copolymerization, 583
Cyclopolyisoprenes, infrared spectra, 2081
Cyclocopolymerization, 501
kinetic study, 2149
probability of, 3413
Debye, light-scattering equation, 2367

Debye and Raleigh equations, determining molecular weights from light scattering, 3313
Deformation, localized, of lamellar polyethylene crystals, 1069
Degradation, concurrent, during radiation grafting, 847
Deuterated polypropylenes, thermal oxidation 457
Dialdehyde starches, crosslinking with wheat proteins, 3857
Dibutyl fumarate, copolymerization with ethylene, effect of conversion on, 3977
Di-*tert*-butyl peroxide, crosslinking efficiencies in the vulcanization of natural rubber, 3893
Dicumyl peroxide, crosslinking efficiency in the vulcanization of natural rubber, 3893
Diene, polymerization with organo-transition metals, 1729
Dienes, reactivity, 2223
1,4-Dienes, addition rates in free radical-initiated copolymerization, 501
cyclopolymerization with acrylonitrile, relative rates of addition in, 4205
Dilute polymer solutions, test of theories, 2123
Dimer formation, in the trityl cationic polymerization of styrene oxide, 4286
*N,N*-Dimethylacrylamide, crosslinking of copolymers containing, 3543
*N,N*-Dimethylaminomethylferrocene, 1499
2,6-Dimethyl-4-bromophenols, copolymerization with other phenols, 2009
Dimethylsiloxanes, cyclic distribution in, 971; *erratum*, 3360
$\alpha,\alpha$-Diphenyl-$\beta$-picrylhydrazyl, reaction with acids, 3107
Dissolution temperature, of high polymers, 2019
*m*- and *p*-Divinylbenzene, kinetics of polymerization, 1959
*p*-Divinylbenzene, styrene copolymerization, 265, 1959
Divinyl copolymerization, initiated by high intensity, low energy electrons, 3587
Double bond movement, during isomerization of natural rubber and related olefins, 3503
Dye diffusion, temperature dependence, 1949
Dye partition method, hydroxyl end group determination, 1725
Dynamic elastic modulus, of cellophane, 2313
effect of film thickness upon, 2313
Dynamic tensile modulus apparatus, instrument constant, 409
Eicosanoic acid, vinyl esters of, 2991
Eizner-Ptitsyn, test of theory for semi-rigid macromolecule, 1825
Elasticity, of particle network in gelled solutions of hydrocolloids, 1859
polymer melts, 917
rubber, preswollen polymer networks, 629
Electron donors, site removal and site activation by, 995
Electron irradiation, high energy, of trihydroperfluoroalkyl acrylate monomers, statistical evaluation of factor interdependency, 3635
Electrons, high intensity, low energy, initiation of divinyl copolymerization, 3587
Electron spin resonance, of heat treated polyvinyl chloride, 2685
in oriented polyoxymethylene, 2289
Electron spin resonance spectra, polymethyl methacrylate irradiated at 77°K., 255
Electron traps, in polyethylene, 2817
Elemental organic compounds, 1729
Emulsion polymerization, branching of polymers prepared by, 2392
mechanism of, 2392
Emulsions, polymeric oil-in-oil, 1267
Entropy, of polymers, 1869
Epoxy adhesives, joints with chlorotrifluoroethylene copolymer and terpolymer, 3087
Epoxy resins, thermal stability and degradation schemes of, 859
Ethylaluminum dichloride, interaction with nitrogen and phosphorous compounds, 2135
Ethylene, copolymerization with dibutyl fumarate, effect of conversion on, 3977
copolymers, comonomer distribution in, 803
polymerization, $\gamma$-radiation induced, existence of long-lived radicals, 2931
polymerization, $\gamma$-ray induced, influence of temperature, 3029
terpolymers with *d*-limonene and $\beta$-pinene, 3815
Ethylene–propylene copolymers, 1, 2047
Ethyl-$\alpha$-fluoromethacrylate, polymerization studies, 3451
Ethyl methacrylate, graft copolymers of, 3993
Excluded volume effects, in swollen polymeric networks, 3523
Factor interdependency, statistical evaluation of, 3635
Failure, application to highly filled polymers, 3361
Ferricyanide, kinetics of reaction with mercaptan solubilized in polystyrene latex, 3957
Ferrocene-containing polymers, 1499
Flory, test of theory for dilute polymer solutions, 2123
Flow behavior, of polydimethylsiloxane, 2947
Fluorocarbon elastomers, $\gamma$-irradiated, stress relaxation of, 1685
Fluorocarbon polymers, infrared structural study, 309
1-Fluorovinyl methyl ketone, preparation and polymerization, 2329
Fractional dehydration, for structural study of polyacrolein, 3471

Fracture mechanism, in glassy polymers, 1713
Fracture processes, in polymeric materials, 2027
Fracture properties, of carboxylic rubbers, 3935
Fracture surfaces, in polymethyl methacrylate, 1713
Free radicals, chain transfer to allyl monomers, 1801
  in popcorn polymers, 3353
Fumarates, secondary, and styrene, copolymerization, 575
Fusion, isotactic polypropylene, heat and entropy of, 767
Gas permeability, of three isomeric polyhydroxyethers, 3843
Gel permeation, chromatograms, 3643
Glass surfaces, adsorption of poly-4-vinylpyridine, 3165
Glass temperature, of acrylic polymers, 3573
  compatible polymer mixtures, 1631
  of linear polymethylene, 3781
Glass transition temperature, of poly-*n*-butyl methacrylate, 1785
Glassy polymers, inelastic processes in, 2027
  mechanism of fracture, 1713
D-Glucose, polymer production by high energy radiation, 2591
Graft copolymers, methyl methacrylate with cellulose, 1247
Grafting, radiation, of vinyl monomers to wool, 3763
Granular starch unsaturated esters, copolymerization with methyl methacrylate, 1031
Growing chain, average lifetime in propylene polymerization, 3147
Heat of fusion, of polymers, 1869
Heat-resistant fibers and films, thiazole polymers, 1443
Heterogeneous polymer systems, 1267
High energy radiation, polymer production of D-glucose, 2591
Homopolymers, melting under pressure, 2827
High polymer degradation reactions, improved technique, 2714
Huggins' constant, 469
Hydrocarbon-soluble organometallic catalysts, 1227
Hydrodynamic behavior, of fully acetylated guaran, 1825
Hydrodynamic friction coefficients, cellodextrins, 1515
Hydrogen bonding, study in polyvinyl alcohol by NMR, 3951
Hydrogen peroxide–thiourea catalyst system, polymerization of acrylonitrile, 2935
2-Hydronopoxyethyl vinyl ether, 961
Hydronopyl vinyl ether, homopolymerization, 961
Hydroquinone–quinone, redox polymers of, 1833
Hydroxyethyl cellulose, aqueous solution, steady flow viscosity of, 411
Hydroxyl end groups, dye partition method determination, 1725
Hydroxy stearic acid, vinyl esters of, 2991
Imino chlorides, polymerization of ε-caprolactam by, 3877
Indicator, use of deeply colored polymer as, 2703
Inelastic processes, in glassy polymers, 2027
Interfacial polycondensation, of polyphenylene-*s*-triazinyl ethers, 2673
Infinite networks, critical conditions for formation, 3279
Infrared studies, of alcohol-modified transition metal polymerization catalysts, 3713
Intrinsic viscosity, relevance to the concentration dependence of the Toms effect, 3662
Intrinsic viscosity–molecular weight relationship, for polyethylene, 3679
Ion-exchange, resin particles, variation in properties, 2893
Ion-exchange membranes, swelling, 1463
Iron, in system with peroxydisulfate - sulfoxylate, 2343
Isobutene, copolymerization with styrene, 2455
Isomerization, of natural rubber and related olefins, double bond movement during, 3503
  *cis–trans*, in polyisoprenes, 3503
Isomorphism phenomena, in systems containing fluorinated polymers and in new fluorinated copolymers, 4263
Isoprene, polymerization kinetics with alkyllithiums, 153, 163, 173
  polymerization on the surface of α-titanium trichloride, 3671
*para*-Isopropyl styrene, graft copolymers of, 3993
Isotactic polystyrene, crystallization kinetics, 433
Isothiuronium salts, polymeric derivatives, 3625
Joints, between epoxy adhesives and chlorotrifluoroethylene copolymer and terpolymer, 3087
Kinetics, alternating copolymerization, 703
  crystallization, isotactic polystyrene, 433
  oligomerization, styrene, 1401
  polymerization of butadiene, isoprene, and styrene with alkyllithiums, 153, 163, 173
  γ-radiation-induced low temperature polymerization of methyl methacrylate, 55
  styrene polymerization, 283
  styrene polymerization initiated by substituted benzoyl peroxides, 1567
  styrene polymerization catalyzed by rhenium pentachloride, 1337
  α-,*d*-styrene and styrene polymerization, 1483
Kurata, test of theory for dilute polymer solutions, 2123

Lauryl methacrylate, copolymerization with allylureas, 1793
Light scattering, by polyisobutyl methacrylate, high molecular weight, 3853
  Debye equation, 2367
*d*-Limonene, low molecular weight polymers obtained by Zeigler-type catalysts, 949
  terpolymers of ethylene and propylene with, 3815
Line shape, relation to polymer polydispersity, 3643
Long-lived radicals, existence in γ-induced ethylene polymerization, 2931
Macroreticular redox polymers, 1833
Manganic sulfate–sulfuric acid, graft copolymerization of vinyl monomers initiated by, 4289
2-Methyl cyclohexyl methacrylates, stereoisomeric, synthesis and polymerization, 3978
1-Methylene-4-vinylcyclohexane, cyclic polymerization, 723
Methyl-α-fluoromethacrylate, polymerization studies, 3451
Methyl methacrylate, copolymerization with unsaturated esters of granular starch, 1031
  electrically controlled anionic polymerization of, 4191
  influence of the initiator on the bulk polymerization, 37
  kinetics of γ-radiation-induced low temperature polymerization, 55
  mechanism of anionic polymerization, 1617
*N*[2-(2-Methyl-4-oxopentyl)]-acrylamide, synthesis, polymerization, 1601
*N*-Methyl-β-propiolactam, polymerization with ionic catalysts, 145
Melt spinning, dynamics of, 2541
β-Methylstyrenes, cationic copolymerization of, 2567
Molecular motion, of polymers with helical conformation, 3003
Molecular orbitals, in styrene–methylstyrene, 2215
Molecular weight, butyllithium polymers, 191
Molecular weight averages, of polymers, calculation from fractionation data, 4153
Molecular weight distribution, butyllithium polymers, 191
  polyisoprenes, 551
Monofilaments, viscose, crystallite orientation in, 4159
Monomer distribution uniformity, 3025
Monomer reactivity ratios, 2047
Morphology, deformed polypropylene, 1741
Multicomponent copolymers, calculations, 2401
Natural rubber, isomerization of, double bond movement during, 3503
Networks, polymeric, swollen, excluded volume effects in, 3523
Nickle peroxide, initiation of styrene polymerization, 3383
*o*-,*m*-,*p*-Nitrostyrenes, NMR, 829
  determination of copolymerization ratio in polyethylene terephthalate–isophthalate, 2698
NMR, *o*-,*m*-,*p*-nitrostyrenes, 829
  study of polymers of ethyl isopropyl, and *tert*-butyl vinyl ethers, 2885
  study of vinyl chloride–vinylidene chloride copolymer, 3919
Norbornene, coordinated polymerization, 895
Nylon 6, crystal structure, γ-form, 317
Nylon 56, 1195; *erratum*, 4302
Nylon 66, dilute solution properties, dissolved in 2,2,3,3-tetrafluoropropanol, 1221
  proton magnetic resonance spectra of, 1885
  radiation crosslinking of, 3405
Nylon 96, 1195; *erratum*, 4302
Oil-in-oil emulsions, mechanism of stabilization, 4233
  polymeric, 1267
α-Olefin polymers, amorphous, 1
  atactic, 1
Olefins, polymerization catalyzed by metallic oxides, 1765
  polymerization and telomerization reaction of olefins with a tertiary amine-coordinated lithium-alkyl catalyst, 3753
  substituted, addition rates in free radical-initiated copolymerization, 501
  terpolymerization with sulfur dioxide and carbon monoxide, 3699
  Ziegler polymerization without added metal alkyls, 2853
α-Olefins, copolymerization with ω-halo-α-olefins, 2491
  polymerization in three-component catalyst systems, 2407
Oligomerization kinetics, styrene, 1401
Optically active polymers, tacticity, 1279
Organoaluminum initiators, polymerization of vinyl monomers, 2903
Organometallic catalysts, hydrocarbon-soluble, 1227
Oxidation, thermal, deuterated polypropylenes, 457
  thermal, uncatalyzed, uninhibited, of polypropylene, 4299
Oxygen, atomic, effect on polymers, 2205
Ozone cracking of rubbers, temperature effect, 1473
Pentavalent vanadium compounds, graft copolymers of methyl methacrylate with cellulose, 1247
Penultimate effect, in stereospecific polymerization by ionic mechanism, 3729
*n*-Perfluoropentadiene-1,4, radiation-induced polymerization, 1641
Peroxydisulfate, in system with iron–sulfoxylate, 2343
Phenol–formaldehyde polymers, proton magnetic resonance, 2091

Phenol–formaldehyde resins, proton magnetic resonance, 1079
Phenolic condensation polymers, thermal degradation, 859
Phenolic resins, PMR spectroscopy, 63
Phenyl glycidyl ether–alcohol, reaction in dioxane, 2955
*P*-Phenylphosphonic diamide, thermal bulk condensation polymerization of, 3865
Phillips catalytic system, 1765
Phosphine oxides, tertiary unsaturated, addition compounds of, preparation and polymerization, 3427
Photodegradation, of poly-α-methylstyrene, 2303
Photopolymerization, dye-sensitized, 1107, 1127, 1137, 1155, 1807
Photoyellowing, poly-4,4′-diphenylolpropane isophthalate, 487
β-Pinene, ethylene and propylene terpolymers with, 3865
Plastics, thermosetting, measurement of curing, 1911
transparent, stress crazing of, 1845
PMR spectroscopy, of phenolic resins, 63
Point imperfections, proper nomenclature, 3986
Polyacetaldehyde, structure investigation by high resolution nuclear magnetic resonance, 327
Polyacrolein, high molecular weight, reactions, 3485
structural investigation, by fractional dehydration, 3471
Polyacrylamide, adsorption on calcium phosphate, kinetic studies, 3519
alkaline hydrolysis, 2475
Polyacrylate–cellophane membrane, preparation, hyperfiltration properties of, 833
Polyacrylic acid, conformational transition in, 2555
Polyacrylonitrile, characterization, 2019
crystallization, 479
dissolution temperatures, 479
ethylene carbonate solution preparation, 341, 353, 361
Polyamides, 1,4-cyclohexanebis methylamine, 19
nylon 56 and 96, 1195
via Ritter reaction, 1877
Polyampholyte, synthetic, 137
Polybenzimidazoles, aryl ether linkages, 417
Polybenzothiazoles, stability evaluation, 1665
synthesis, 1665
Polybenzoxazoles, aromatic, 2107
Polybithiazoles, 3117
Polybutadiene-*co*-styrene, branching in, 1289, 1303, 1313, 1325
Polybutadienes, infrared spectra of, 1587; *erratum*, 3360
multichain, rheological properties, 105,
radial, synthesis of trichain and tetrachain, 93
Polybutene-1, effect of some additives on the crystalline transformations of, 3803
Polybutyl acrylate, proton magnetic resonance of, from 77°K., 4243
Poly-*n*-butyl methacrylate, mechanical properties, 1785; *erratum*, 4000
near glass transition temperature, 1785
Poly-carboalkoxybutadienes, x-ray study of some isotactic substituted, 11
Polycarbonate, conversions to polyether, 3681
thermochemiluminescence of, 2033
Polychloral stabilization, 1535
Polychloroaldehydes, 1535, 1545, 1553
*trans*-Polychloroprene, 3787
Poly-α-cyanostyrene, 1527
Poly-1,3-cyclohexadiene, preparation, aromatization, crosslinking, 1553
Polydichloroacetaldehyde, 3741
Polydienes, fractionation by precipitation chromatography, 2511
microstructures prepared from alkyllithium, 181
Polydimethyl siloxane, unperturbed dimensions of chains with any degree of polymerization application to, 4279
Polydisperse polymers, evaluation of branching in, 4211
weight-averaging of chosen molecular size-dependent functions, and a restatement of the approximate distribution function, 4227
Polyelectrolyte expansive effects, for semiquantitative aspects of short branch detection, 2527
Polyelectrolyte solutions, reduced viscosity of, 1941
Polyether, conversions from polycarbonates, 3681
Raman spectra, 2275
Polyethyl acrylate, proton magnetic resonance of, from 77°K., 4243
Polyethylene, electron traps, 2817
intrinsic viscosity–molecular weight relationship, 3679
emulsion, characterization of, 1895
forming on $TiCl_3$, 2400
lamellar crystals, localized deformation of, 1069
low-density, distribution of short-chain branching in, 907
molten, surface tension, 569
sound velocity, 697; *erratum*, 2719
Polyethylene, stress-cracking of, 1045
Polyethylene–ethylene, phase equilibria of at high pressures near critical loci, 131
Polyethylene glycol, molecular motions of, 3003
Polyethylene oxide, refractive index–molecular weight relationships, 2707
Polyethylenimine, fractionation by curtain electrophoresis, 3031
Polyethylene spherulite, deformation mechanism of, 1993
Polyethylene terephthalate, single crystals, 81
Polyethylene terephthalate–isophthalate, nuclear magnetic resonance determination of copolymerization ratio, 2698

Polyethyl vinyl ether, proton magnetic resonance of, from 77°K., 4243
Polyglyoxal, synthesis and structure, 2337
Polyhydrazones, synthesis by polycyclization, 2425
Polyhydroxyethers, gas permeability of, 3843
Polyimide, 2397
Poly-*p*-iodostyrene, absorption spectra, 2759
Polyisobutyl methacrylate, high molecular weight, viscosity of, 3664
high molecular weight, light-scattering properties of, 3853
Polyisocyanates, chain stiffness in, 933
Polyisoprenes, cyclized, infrared spectra, 2081
molecular weight distribution, 551
Poly-*para*-isopropylstyrene, dilute solution properties of, 3987
Polymer–filler interaction, thermodynamic calculations and a model, 3229
Polymerization, radiation-induced, of 1,2-cyclohexene oxide, 3421
solid-state, relaxation phenomena of polyoxymethylene obtained from, 4173
stereospecific, penultimate effect in, 3729
Polymer melts, elastic, strength, and viscous properties, 917
Polymer modification, Wittig reaction, 593
Polymers, glass temperatures, mixtures of compatible, 1631
rheo-optical properties, 301
three-component, formation of, 1775
Polymer–solvent interactions, of bisphenol A polycarbonate in different solvents, 2743
Polymer systems, heterogeneous, 1267
Polymethacrylic acid, dependence of association with divalent cations on the stereoregularity of the polymers, 4201
Polymethyl acrylate, chemical scission, 2609
Poly-D-(−)-$\beta$-methyl-$\epsilon$-caproamide, optically active, crystal and molecular structure, 4001
Poly-$\gamma$-methyl-L-glutamate, relations between aging of solutions and the structure of spherulites grown from them, 4075
solutions of, anomalous viscosities of, 4075
Polymethyl methacrylate, electron spin resonance spectra, 255
fracture surfaces in, 1713
thermal degradation, 1171
Polymethacrylic acid, interaction with alkaline earth metal cations in dilute solutions, 3613
Polymethylene, linear, glass temperature and crystal modification of, 3781
Poly-2-methacryloxytropone, 827
Poly-3-methyl-1-pentene, temperature effects on birefringence of, 3982
Polydimethylsiloxane, flow behavior, 2947
Poly-$\alpha$-methylstyrene, photodegradation of, 2303
Poly-2-methyl-5-vinylpyridine–diluent systems, phase separation, 3599
thermodynamic parameters for, 3599
viscosity, 3599
Polyoctene-1, analysis by Kurata-Stockmayer method, 3963
Polyolefins, ionizing radiation exposure and gel formation, 777
semicrystalline, 793
Poly-1,3,4 oxadiazoles, 45, 3191
Polyoxymethylene, electron spin resonance in, 2289
molecular motions of, 3003
obtained from solid-state polymerization relaxation phenomena of, 4173
*p*-Polyphenyl, electrical behavior, 4297
pellet formation, 4297
radiation resistance, 4297
Poly-2,6-*m*-phenylene-3,5-dimethyldiimidazolebenzene, 1661
Polyphenylene-4-phenyl-1-2,4-triazoles, aromatic, 3905
Polyphenylene-*s*-triazinyl ethers, by interfacial polycondensation, 2673
Polypropylene, crystallization kinetics of fractions, 3041
deformed, morphology of, 1741
isotactic, heat and entropy of fusion, 767
preparation with high amorphous content, 3355
thermochemiluminescence of, 2033
uncatalyzed uninhibited thermal oxidation of, 4299
Polypyrazoles, synthesis by polycyclization, 2425
Polypyromellitimides, aromatic, 1373
Polyquinoxalines, 1013
Polyselenomethylene, hexagonal, crystal structure of, 4013
Polystyrene derivatives, unperturbed dimensions, 985
Polystyrenes, dynamic mechanical behavior, 2693
crosslinked, sulfonation rates, 1063
linear, tetrachain branched "monodisperse," 681
low molecular weight, synthesis, *erratum*, 2719
star- and comb-type, preparation and characterization of, 4131
Polythioacetals, of sugar, 1985
Polyurethane elastomers, relaxation constants, 1675
relaxation response of, 2619
Polyvinyl alcohol, heat of fusion, 4181
melting point, 4181
radiation crosslinking of, 3405
structure formation, 423
study of hydrogen bonding in, by NMR, 3951
study of orientation of light-sensitive tetrazonium salt in, 3691
Polyvinyl chloride, electron spin resonance, 2685
crystalline, low molecular weight, preparation and properties, 3399

Polyvinylcyclohexane, crystalline growth, 2710
Polyvinylene fluoride, synthesis and properties, 2975
Polyvinyl propionate, proton magnetic resonance of, from 77°K., 4243
Poly-4-vinylpyridine, adsorption onto glass surfaces, 3165
Polyvinyl stearate, proton magnetic resonance of, from 77°K., 4243
Popcorn polymers, free radicals in, 3353
Potassium carboxymethyl dextrans, viscosity of, 1391
Potassium polymetaphosphates, of calcium, zinc, and cadmium, 2535
Potassium polystyrenesulfonate solutions, field strength dependence of electric birefringence, 813
Precipitation chromatography, fractionation of dienes, 2511
Propenyl chloride isomers, polymerization, 615
Propenyldiphenylphosphine oxide isomers, preparation and polymerization, 3439
2-*n*-Propyl-1,3-butadiene, stereospecific polymers, 123
Propylene, polymerization, average lifetime of growing chain, 3147
terpolymers with *d*-limonene and *β*-pinene, 3815
Proton magnetic resonance, phenol–formaldehyde polymers, 2091
phenol–formaldehyde resins, 1079
of polybutyl acrylate, from 77°K., 4243
of polyethyl acrylate, from 77°K., 4243
of polyethyl vinyl ether, from 77°K., 4243
of polyvinyl propionate, from 77°K., 4243
of polyvinyl stearate, from 77°K., 4243
spectra of nylon 66, 1885
of vinyl stearate, from 77°K., 4243
Ptitsyn, test of theory for dilute polymer solutions, 2123
Radiation crosslinking, of nylon 66, 3405
of polyvinyl chloride, 3405
Radical polymerization, 1969
Raman spectra, of polyethers, 2275
polymers in solution, 2811
Rate of shear, effect on viscosity of polymer solutions, 3219
Redox kinetics, of peroxydisulfate–iron-sulfoxylate system, 2343
Relaxation constants, in polyurethanes, 1675
Relaxation phenomena, of polyoxymethylene, obtained from solid-state polymerization, 4173
Relaxation response, of polyurethane elastomers, 2619
Rhenium pentachloride, catalyst in styrene polymerization, 1337
Rheo-optical properties, polymers, 301
Ringed spherulites, deformation, 4093
multiple-order light scattering from, 4093
Ring polymers, flexible, statistical properties of, 605
Ritter reaction, for polyamides, 1877
Rubbers, thermosetting, measurement of curing, 1911
Scission, chemical, of polymethyl acrylate, 2609
Scission reactions, vinyl and vinylidene polymers, 1435
Short branch detection, polyelectrolyte expansive effects, 2527
Silver perchlorate, initiation of vinyl monomer polymerization, 3175
Site activation, electron donors, 995
Site removal, electron donors, 995
Sodium-*p*-styrenesulfonate, copolymerization with acrylonitrile in dimethyl sulfoxide solution, 2721
Solid inorganic foam, 3343
Solubility distributions, polymers, turbidimetric titration method, 527
Solvent, anionic copolymerization, 1037, 2215, 2223
cationic polymerization, 2455
effects in styrene systems, 2865
effects in terpolymerization of ethylene, propylene and dicyclopentadiene, 3157
Sound velocity, polyethylene, 697
Spherulitic polymers, bulk crystallization kinetics, 3067
Staudinger's Index, 469
Stereospecific polymerization, 1,3-butadiene, 735
Stress-cracking, polyethylene, 1045
Stress crazing, of transparent plastics, 1845
Stresses, computed at nonvoid craze mark, 1845
Stress relaxation, gelatin films, chemically crosslinked, 513
of $\gamma$-irradiated fluorocarbon elastomers, 1685
Styrene, anionic polymerization, 449
4-cyclopentene-1,3-dione, copolymerization, 583
*p*-divinylbenzene copolymerization, 265
kinetics of polymerization, 283
oligomerization kinetics, 1401
polymerization with *tert*-butyl hydroperoxide, 3668
polymerization with metal acetylacetonates, 3668
polymerization, initiated by *n*-butyllithium, 3241
polymerization, nickle peroxide-initiated, 3383
polymerization kinetics, 1483; 4113 (1964), *erratum*, 1664
polymerization kinetics with alkyllithiums, 153, 163, 173
polymerization kinetics when catalyzed by rhenium pentachloride, 1337
secondary fumarates copolymerization, 575
*α,d*-Styrene, polymerization kinetics, 1483; 4113 (1964), *erratum*, 1664
Styrene oxide, trityl cationic polymerization, dimer formation in, 4287
*p*-Styrenesulfonamides, *N*-methyl and *N*-phenyl derivatives, 3833
Styrene systems, solvent effects, 2865

Strength, polymer melts, 917
Sulfonamides, aromatic, with activated double bond, 2229
aromatic, base catalyzed polymerization of, 2229
Sulfonation rates, crosslinked polystyrene, 1063
Sulfoxylate, in system with peroxy disulfate-iron, 2343
Sulfur dioxide, terpolymerization of olefins and *cis,cis*-1,5,cyclooctadiene with, 3699
Surface energetics, 569
Surface tension, polyethylene, molten, 569
Swelling, new ion exchange membranes, 1463
Tacticity, optically active polymers, 1279
Temperature, effect on ozone cracking of rubbers, 1473
Tension, components, in elastomeric wool fibers, 3331
Termination, diffusion-controlled, free radical polymerization, 883
Terpolymerization, *cis,cis*-1,5-cyclooctadiene with sulfur dioxide and carbon monoxide, 3699
2,2,3,3-Tetrafluoropropanol, nylon 66 dilute solution properties when dissolved in, 1221
Tetrahydrofuran, oxonium ion-initiated polymerization, 3261
3,3,3′,3′,-Tetramethyl-1,1′ spirobiindane residue, polymers containing, 3209
Tetrazonium salt, light-sensitive, orientation study in poly(vinyl alcohol), 3691
Thermal conductivity, high polymers, 659
Thermal degradation, of inserted monomer, 2665
phenolic condensation polymers, 859
polymethyl methacrylate, 1171
Thermochemiluminescence, of polycarbonate and polypropylene, 2033
Thermochemistry, of equilibrium copolymerization, 2483
of propagation of polymerization, 3929
Thermogravimetric techniques, application to reaction kinetics, 4253
Thermoplastic properties, of polyacrolein and its acetals, 3495
Thiazine dyes, 1137, 1155
Thiazole polymers, for heat-resistant fibers and films, 1443
Thiiran rings, polymerization of monomers containing, 2701
Thiocarbonyl compounds, polymerization of, 4115
Thioureas, polymeric derivatives, 3625
Three-component catalyst systems, $\alpha$-olefin polymerization, 2407
Three-component polyolefin catalysts, 2135
Titanium chloride, formation of polyethylene upon, 2400
Titanium(IV) compounds, polymerization of butadiene, 217
Titanium dichloride propionate, preparation with high amorphous content, 3355
Titanium tetrachloride, reactions with alkyl-aluminum compounds, 209
$\alpha$-Titanium trichloride, polymerization of isoprene on surface of, 3671
Titanates, reduction of, 199
Toms effect, relevance of intrinsic viscosity to the concentration dependence of, 3662
Transmission electron microscopy, polymer thin sections, 647
Trifluoromethyl trifluorovinyl ether, 4065
Trifluoromethyl trifluorovinyl sulfide, 4065
Trihydroperfluoroalkyl acrylate, monomers, electron irradiation of, statistical evaluation of factor interdependency, 3635
Trioxane, crystallization on seeds from cyclohexane solutions, 2441
solid-state polymerization, 2579
*p*-Triphenylleadstyrene, copolymerization with styrene or vinyl toluene, 3199
*p*-Triphenyltin styrene, copolymerization with styrene or vinyl toluene, 3199
Trithiane, radiation polymerization of, 2369
Vinylcarboranes, 3275
Vinyl chloride–vinylidene chloride copolymer, NMR of, 3919
4-Vinylcyclohexane, cyclic polymerization, 1609
polymerization of, with $TiCl_3$–$Al(C_2H_5)_3$ catalysts, 4029
Vinyl–divinyl, highly crosslinked systems, 629
Vinyl esters, of chloro- and hydroxystearic and eicosanoic acids, 2991
of cylic acids, polymerization of, 3659
of nonhydroxy carnuba wax acids and acrylic esters of carnuba wax alcohols, 2877
Vinylidene polymers, scission reactions, 1435
Vinylmesitylene, anionic polymerization, 3098
Vinyl monomers, dye sensitized polymerization in aqueous solution, 3131
graft copolymerization, initiated by manganic sulfate–sulfuric acid, 4289
polymerization by organoaluminum initiators, 2903
silver perchlorate-initiated polymerization, 3175
Vinylphosphonium compounds, polymerization, 2063
synthesis, 2055
Vinyl polymerization, 615
Vinyl polymers, scission reactions, 1435
Vinyl stearate, proton magnetic resonance of, from 77°K., 4243
Viscoelastic properties, effect of crosslinking density, 2637
Viscometric titrations, 3613
Viscose, densification rate of gel during coagulation, 711
Viscosities, polymer solutions, concentrated, 237
Viscosity, of dilute aqueous polyelectrolyte solutions, 1941

of high molecular weight polyisobutyl methacrylate, 3664
steady flow, aqueous hydroxyethyl cellulose solutions, 411
polymer melts, 917
potassium carboxymethyl dextrans, 1391
reduced, concentration dependence, 1941
Viscosity–molecular weight transitions, shear dependence of, 1359
Vulcanizates, rubber, equilibrium swelling constraints, 641
Wittig reaction, polymer modification, 593
X-ray diffraction, patterns, 2400
Xylene dihalides, copolymerization and mechanism, 2983
coupling with divalent chromium, 2980
Xylylidene–chloroxylylene copolymers, 3649
Ziegler catalysts, copolymerization of α-olefins with ω-halo-α-olefins, 2491
Ziegler polyethylene, anomalous effects of catalyst mole ratio on molecular weight, 3038
Ziegler polymerization, of olefins without added metal alkyls, 2853
Zeigler-type catalysts, low molecular weight polymers obtained by, 949
Zinc, potassium metaphosphates of, 2535